

```
> read "/Users/jjj104/Documents/DMB.txt";  
First Written: Nov. 2021
```

*This is DMB.txt, A Maple package to explore Dynamical models in Biology (both discrete and continuous) accompanying the class Dynamical Models in Biology, Rutgers University. Taught by Dr. Z. (Doron Zeilbeger)*

*The most current version is available on WWW at:  
<http://sites.math.rutgers.edu/~zeilberg/tokhniot/DMB.txt> .  
Please report all bugs to: DoronZeil at gmail dot com .*

*For general help, and a list of the MAIN functions,  
type "Help():". For specific help type "Help(procedure\_name);"*

-----  
*For a list of the supporting functions type: Help1();  
For help with any of them type: Help(ProcedureName);*

-----  
*For a list of the functions that give examples of Discrete-time dynamical systems (some famous),  
type: HelpDDM());  
For help with any of them type: Help(ProcedureName);*

-----  
*For a list of the functions continuous-time dynamical systems (some famous) type: HelpCDM());  
For help with any of them type: Help(ProcedureName);*

(1)

```
> #2a  
#x = lynxes, y = hares  
#x(n) = 2x(n-1) + 3y(n-1)  
#y(n) = 3x(n-1) + y(n-1)  
Orb([2 * x + 3 * y, 3 * x + y], [x, y], [20, 10], 9, 10)[2];  
[61852910, 52396750]
```

(2)

```
> #2b  
S := diff(x(t), t) = 2 * x(t) + 3 * y(t), diff(y(t), t) = 3 * x(t) + y(t);
```

```
F := {x(t), y(t)};
L := dsolve({S, x(0) = 20., y(0) = 10.}, F);
expand(subs(t = 10., L));
```

$$S := \frac{d}{dt} x(t) = 2x(t) + 3y(t), \frac{d}{dt} y(t) = 3x(t) + y(t)$$

$$F := \{x(t), y(t)\}$$

$$L := \left\{ x(t) = \left(10 + \frac{40\sqrt{37}}{37}\right) e^{\frac{(3+\sqrt{37})t}{2}} + \left(10 - \frac{40\sqrt{37}}{37}\right) e^{-\frac{(-3+\sqrt{37})t}{2}}, y(t) \right.$$

$$= \frac{\left(10 + \frac{40\sqrt{37}}{37}\right) e^{\frac{(3+\sqrt{37})t}{2}} \sqrt{37}}{6} - \frac{\left(10 - \frac{40\sqrt{37}}{37}\right) e^{-\frac{(-3+\sqrt{37})t}{2}} \sqrt{37}}{6}$$

$$\left. - \frac{\left(10 + \frac{40\sqrt{37}}{37}\right) e^{\frac{(3+\sqrt{37})t}{2}}}{6} - \frac{\left(10 - \frac{40\sqrt{37}}{37}\right) e^{-\frac{(-3+\sqrt{37})t}{2}}}{6} \right\}$$

$$\left\{ x(10.) = 3.269017372 \times 10^7 e^{5.000000000\sqrt{37}} + 3.534072835 \times 10^6 \sqrt{37} e^{5.000000000\sqrt{37}} \right.$$

$$+ 3.269017372 \times 10^7 e^{-5.000000000\sqrt{37}} - 3.534072835 \times 10^6 \sqrt{37} e^{-5.000000000\sqrt{37}}, y(10.)$$

$$= 4.859350148 \times 10^6 \sqrt{37} e^{5.000000000\sqrt{37}} + 1.634508686 \times 10^7 e^{5.000000000\sqrt{37}}$$

$$\left. - 4.859350148 \times 10^6 \sqrt{37} e^{-5.000000000\sqrt{37}} + 1.634508686 \times 10^7 e^{-5.000000000\sqrt{37}} \right\}$$

(3)

```
> #3
#a = 5, b = 1, c = 3;
a := 5;
b := 0.2;
c := 0.7;
E1 := x*(1-b-c) + y*(1-exp(-a*x));
E2 := (1-y)*b + y*exp(-a*x);
evalf(OrbF([evalf(E1), evalf(E2)], [x, y], [200, 20], 100, 101));
```

$$a := 5$$

$$b := 0.2$$

$$c := 0.7$$

$$E1 := 0.1x + y(1 - e^{-5x})$$

$$E2 := 0.2 - 0.2y + ye^{-5x}$$

```
[[0.1636499637, 0.2635751637], [0.1636499637, 0.2635751637], [0.1636499637,
0.2635751637]]
```

(4)

```
> #4
```

```

evalf(OrbF([x*(1-b) + (1-x)*(1-exp(-a*x))], [x], [4], 100, 101));
xstar := b*x - (1-x)*(1-exp(-a*x)) = 0;
eval(xstar, x=0);

```

```

[[0.8311273202], [0.8311273202], [0.8311273202]]

```

$$xstar := 0.2x - (1-x)(1 - e^{-5x}) = 0$$

$$0. = 0$$

(5)

```

> #5

```

```

F := x/(10 + x);

```

```

FP([F], [x]);

```

```

SFP([F], [x]);

```

$$F := \frac{x}{10 + x}$$

```

{[-9], [0]}

```

```

{[0.]}

```

(6)