

```
> #Hrudai Battini Review Hw 26
read "/Users/hb334/Documents/DMB.txt";
      First Written: Nov. 2021
```

This is DMB.txt, A Maple package to explore Dynamical models in Biology (both discrete and continuous) accompanying the class Dynamical Models in Biology, Rutgers University. Taught by Dr. Z. (Doron Zeilbeger)

*The most current version is available on WWW at:
<http://sites.math.rutgers.edu/~zeilberg/tokhniot/DMB.txt> .
Please report all bugs to: DoronZeil at gmail dot com .*

*For general help, and a list of the MAIN functions,
type "Help()". For specific help type "Help(procedure_name);"*


*For a list of the supporting functions type: Help1();
For help with any of them type: Help(ProcedureName);*



*For a list of the functions that give examples of Discrete-time dynamical systems (some famous),
type: HelpDDM());
For help with any of them type: Help(ProcedureName);*



*For a list of the functions continuous-time dynamical systems (some famous) type: HelpCDM());
For help with any of them type: Help(ProcedureName);*



> #14 ii
#x=0 is unstable
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [-0.1], 0.01, 10, 1);
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [0.1], 0.01, 10, 1);
#x=1 is stable
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [0.9], 0.01, 10, 1);
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [1.1], 0.01, 10, 1);
#x=2 is unstable
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [1.9], 0.01, 10, 1);
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [2.1], 0.01, 10, 1);
#x=3 is stable
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [2.9], 0.01, 10, 1);
TimeSeries([2*x*(1-x)*(2-x)*(3-x)], [x], [3.1], 0.01, 10, 1);

(1)









```
> #15
Orb([x^3+2*y, x^2+5*y^2], [x, y], [1, 3], 0, 3);
[[1, 3], [7, 46], [435, 10629], [82334133, 565067430]]
```

(2)

```
> #16
F:= [(2+x+y)/(2+2*x+2*y), (2+x+y)/(1+2*x+2*y)];
SFP(F, [x, y]);
Orb(F, [x, y], [0.5, 0.4], 1000, 1000);
```

$$F := \left[\frac{2+x+y}{2+2x+2y}, \frac{2+x+y}{1+2x+2y} \right]$$

$$\{[0.6953496364, 0.8641637014]\}$$


$$[[0.6953496364, 0.8641637013]]$$


(3)

```
> #17
TimeSeries([(1-2*x-3*y)*(2-2*x-3*y), (3-x-2*y)*(1-x-2*y)], [x, y],
```

```
[-4.9,3.9],0.01,10,1); #x  
TimeSeries([(1-2*x-3*y)*(2-2*x-3*y), (3-x-2*y)*(1-x-2*y)], [x,y],  
[-4.9,3.9],0.01,10,2); #y
```

```
TimeSeries([(1-2*x-3*y)*(2-2*x-3*y), (3-x-2*y)*(1-x-2*y)], [x,y],  
[0.9,-0.1],0.01,10,1); #x  
TimeSeries([(1-2*x-3*y)*(2-2*x-3*y), (3-x-2*y)*(1-x-2*y)], [x,y],  
[0.9,-0.1],0.01,10,2); #y
```





P14 i) $x'(t) = 2x(1-x)(1-x)(3-x) = 0 \quad x=0, 1, 2, 3$

ii) In maple

iii) $f(x) = 2x(1-x)(1-x)(3-x) = 12x - 18x^2 + 6x^3 - 4x^2 + 6x^3 - 2x^4$

$f'(x) = 12 - 44x + 36x^2 - 8x^3$

$f'(0) = 12 > 0$ not negative unstable

$f'(1) = -4$ Negative, stable

$f'(2) = 4$ Not Neg. unstable

$f'(3) = -12$ Neg. Stable

P15) $x(1) = 1^2 + 2(3) = 7 \quad y(1) = 1^2 + 5(3)^2 = 46 \quad x(0) = 1 \quad y(0) = 3$

$x(2) = 7^2 + 2(46) = 435 \quad y(2) = 7^2 + 5(46)^2 = 10629$

$x(3) = x(2)^2 + 2(y(2)) = 8239133 \quad y(3) = x(2)^2 + 5(y(2))^2 = 565067436$