

Selected Answers

CHAPTER 1


1. (b) $x_n = 10 \cdot 2^n$.
2. (b) $x_n = 1 + 2 \cdot (4)^n$; (c) $x_n = (-1)^n + 4$; (e) $x_n = 5 + (-2)^n$.
3. (b) (i) $A_1 + nA_2$; (ii) $(-1)^n[A_1 + nA_2]$; (iii) $3^n[A_1 + nA_2]$.
6. (a) $A(5)^n + B(2)^n$; (b) $A(\frac{1}{2})^n + B(-\frac{1}{2})^n$; (e) $A(\frac{1}{3})^n + B(-1)^n$.
7. (b) $c_1 \begin{bmatrix} 4 \\ 1 \end{bmatrix} (\frac{1}{2})^n + c_2 \begin{bmatrix} 4 \\ -3 \end{bmatrix} (-\frac{1}{2})^n$;
 (d) $c_1 \begin{bmatrix} 1 \\ -2 \end{bmatrix} (-1)^n + c_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} (2)^n$;
 (f) $c_1 \begin{bmatrix} 4 \\ 1 \end{bmatrix} (\frac{1}{2})^n + c_2 \begin{bmatrix} 6 \\ 1 \end{bmatrix} (\frac{1}{4})^n$.
8. (a) $(\sqrt{2})^n e^{i\pi n/4}$; (c) $(10)^n e^{i\pi n/2}$; (e) $(\frac{1}{\sqrt{2}})^n e^{i5\pi n/4}$.
9. (a) $c_1 \cos(\frac{n\pi}{2}) + c_2 \sin(\frac{n\pi}{2})$; (c) $\sqrt{2}^n \left[c_1 \cos(\frac{3\pi n}{4}) + c_2 \sin(\frac{3\pi n}{4}) \right]$.
10. (b) $f > 1/r(1 - m)$.
11. (b) $K = d/(a + b + c)$.
13. (a) 2, 1, 3, 4, 7, 11, 18, 29, 47, 76, 123.
14. (b) $R_n^0 = \frac{1}{\sqrt{5}} \left[\left(\frac{1 + \sqrt{5}}{2} \right)^{n+1} - \left(\frac{1 - \sqrt{5}}{2} \right)^{n+1} \right]$.
18. (a) $C_{n+1} = C_n - \beta V_n + m$,
 $V_{n+1} = \alpha C_n$.
 (c) $4\alpha\beta < 1 \Rightarrow$ amount of CO₂ lost per breath is less than $\frac{1}{4}$ (amount of CO₂ that induces a unit volume of breathing).
 $4\alpha\beta > 1$: $\lambda = \frac{1}{2}\{1 \pm \gamma i\}$, $\gamma = (4\alpha\beta - 1)^{1/2}$. $|\lambda| \geq 1$ when
 $\gamma \geq \sqrt{3} \Rightarrow \alpha\beta > 1$. Frequency $\phi = \frac{\pi}{3}$.

20. (c)



CHAPTER 2

1. (a) Linear, $x_n = \left(\frac{1 - \alpha}{1 - \beta}\right)^n$, $\beta \neq 1$.
 (c) Nonlinear, $\bar{x} = 0$.
 (e) Nonlinear, $\bar{x} = (K - k_2)/k_1$, $k_1 \neq 0$.
2. (a) Stable for $|r| < 1$. (b) Unstable. (c) Stable. (d) Unstable.
4. (a)



8. (b) $\bar{N}_1 = 0$ or $\bar{N}_2 = (\lambda^{1/b} - 1)/a$.
 \bar{N}_1 stable iff $\lambda < 1$; \bar{N}_2 stable iff $0 < b(1 - \lambda^{-1/b}) < 2$.
11. Steady states: $(0, 0)$ and $\left(\frac{Fk(F^{1/k} - 1)}{a(F - 1)}, \frac{k}{a}(F^{1/k} - 1)\right)$.
14. $f'(x) = kb/(b + x)^2$, $f'(0) = k/b > 1$.
16. (b) $C_{t+1} = fC_t S_t$; $S_{t+1} = S_t - fC_t S_t + B$.
17. (b) $C_{n+1} = C_n - \beta C_n V_n + m$, $V_{n+1} = \alpha C_n$.
 (c) Need $(m\alpha\beta) < 1$ for stability.
 (d) yes, for $|x - 3| < 2\sqrt{2}$ where $x = (m\alpha\beta)^{1/2}$.
 (h) $\bar{C} = \frac{1}{2}\{\gamma \pm \sqrt{\gamma^2 + 4k\gamma}\}$ where $\gamma = m/\beta\alpha$,
 $\bar{V} = \alpha\bar{C}/(K + \bar{C})$.

CHAPTER 3

4. (c) \bar{N} stable for $|1 - b(\lambda^{-1/b} - 1)| < 1$.
5. (b) 1-stable, 2-stable, 3-stable, 4-unstable, 5-stable.
7. (a) $n_{t+1} = \lambda n_t e^{-p_t}$, $p_{t+1} = n_t(1 - e^{-p_t})$ for $\bar{N} = \frac{1}{(ac)}$, $\bar{P} = \frac{1}{a}$.
9. (b) $a_{11} = (1 - r\bar{N}/K)$, $a_{12} = -\bar{N}a$, $a_{21} = \bar{P}/\bar{N}$, $a_{22} = a(\bar{N} - \bar{P})$.
10. (b) $N_{t+1} = \lambda N_t \exp[-(aN_t)^{1-m}]$, $P_{t+1} = N_t(1 - \exp[-(aN_t)^{1-m}])$.
 (c) $\bar{P} = (\ln \lambda/a)^s$, $\bar{N} = \lambda\bar{P}/(\lambda - 1)$.
15. (a) Steady states $\bar{h} = (\ln f)/a$, $\bar{q} = \bar{h}/\left(\delta - \frac{1}{r}\right)$.
 (b) $k = \ln f$, $b = r\left[\delta - \frac{1}{r}\right]$.
 (d) For $F(Q, H) = Qe^{k(1-H)}$, $G(Q, H) = bH\left(1 + \frac{1}{b} - \frac{H}{Q}\right)$.
 $F_Q(\bar{Q}, \bar{H}) = 1$, $F_H(\bar{Q}, \bar{H}) = -k$, $R_x(\bar{Q}, \bar{H}) = -b$
 (where $R = G/H$, $x = H/Q$).
19. $u_{n+1} = u_n^2 + \frac{1}{4}v_n^2$, $v_{n+1} = \frac{1}{2}v_n^2$, $w_{n+1} = \frac{1}{4}v_n^2 + w_n^2$.


CHAPTER 4

5. (a) r = intrinsic growth rate. B = carrying capacity.
 (d) For $t \rightarrow \infty$, $e^{-rt} \rightarrow 0$ so $N(t) \rightarrow N_0 B/N_0 = B$.
 For N_0 small, $N(t) \approx N_0 B/B e^{-rt} = N_0 e^{rt}$.
6. (b) (mass nutrient)/(number of bacteria).
8. $\alpha_1 = \frac{v}{F} K_{\max}$ = ratio of [emptying time of chamber] to [(1/ln 2) times bacterial doubling time].
 $\alpha_2 = c_0/K_n$ = ratio of [stock nutrient concentration] to [concentration which produces a half-maximal bacterial growth rate].
10. (a) $\frac{dN}{dt} = \left(\frac{C}{a+C}\right)N - bN$, $\frac{dC}{dt} = -a\left(\frac{C}{a+C}\right) - bC + 1$.
 for $a = K_n V K_{\max}/FC_0$, $b = F/K_{\max} V$.
11. Increase C_0 , V , decrease F . (No local maximum).
15. (a) $y'' = -\cot(x)$: linear, order 2, not homogeneous, constant coefficients.
 (d) $(2y + 2)y' - y = 0$; nonlinear, order 1, homogeneous, nonconstant coefficients.
 (i) $\frac{dy}{dt} + y = \frac{1}{t}$ ($t \neq 0$); linear, order 1, nonhomogeneous, constant coefficients.
16. (d) Steady states $(0, 0)$, $(1, 1)$; $J(0, 0) = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$, $J(1, 1) = \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$.
18. (b) $y(t) = .001e^{10t}$, (d) $y(t) = \frac{5}{2}(e^{3t} + e^{-3t})$, (e) $y(t) = \frac{1}{3}(3 + 2e^{5t})$.
22. (a) $\begin{bmatrix} x(t) \\ y(t) \end{bmatrix} = c_1 \begin{bmatrix} 1 \\ 0 \end{bmatrix} e^{-t} + c_2 \begin{bmatrix} 0 \\ 1 \end{bmatrix} e^t$,
 (c) $\begin{bmatrix} x(t) \\ y(t) \end{bmatrix} = c_1 \begin{bmatrix} 7 \\ -2 \end{bmatrix} e^{-4t} + c_2 \begin{bmatrix} 1 \\ 1 \end{bmatrix} e^{5t}$,
 (f) $\begin{bmatrix} x(t) \\ y(t) \end{bmatrix} = c_1 \begin{bmatrix} 1 \\ 2 - \sqrt{7} \end{bmatrix} e^{-(2+\sqrt{7})t} + c_2 \begin{bmatrix} 1 \\ 2 + \sqrt{7} \end{bmatrix} e^{-(2-\sqrt{7})t}$.


29. (b) $\bar{x}_1 = \frac{B}{F} \left/ \left[\frac{C}{F-E} - \frac{A}{F} \right] \right.$, $\bar{x}_3 = \frac{C\bar{x}_1}{F-E}$, $\bar{x}_2 = A\bar{x}_1 - B$.
 where $A = (u + k_{12})/k_{21}$, $B = D/k_{21}$, $C = k_{12}/(k_{21} + s + k_{23})$,
 $E = k_{32}/(k_{21} + s + k_{23})$, $F = k_{32}/k_{23}$.

CHAPTER 5


1. (b)




(e)




2. (b)







4. (b) (1) $(x, y) = (t, t(t - 1))$, $\left(\frac{dx}{dt}, \frac{dy}{dt}\right) = (1, 2t - 1)$.
 (4) $(x, y) = (\cos t, \sin t)$, $\left(\frac{dx}{dt}, \frac{dy}{dt}\right) = (-\sin t, \cos t)$.
 (6) $(x, y) = (t, 4t^2)$, $\left(\frac{dx}{dt}, \frac{dy}{dt}\right) = (1, 8t)$.

5. (a)




(e)






6. (a) $J(1, 1) = \begin{bmatrix} -2 & 2 \\ 1 & 0 \end{bmatrix}$, saddle; $J(1, -1) = \begin{bmatrix} -2 & -2 \\ 1 & 0 \end{bmatrix}$ stable spiral.
 (d) $J(0, 1) = \begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$ stable node; $J(-1, 0) = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ saddle point.
7. (a) neutral center, (b) saddle, (c) unstable node,
 (d) saddle, (e) stable spiral, (f) unstable spiral.
12. (a) $A = \frac{\alpha_1}{\alpha_2}(\alpha_1 - 1)^2 - \frac{(\alpha_1 - 1)}{\alpha_1}$.
 (b) $\beta = -(A + 1)$, $\gamma = A$, $\lambda_{1,2} = \frac{1}{2}\{-(A + 1) \pm \sqrt{(A + 1)^2 - 4A}\} = -A, -1$.
 $\frac{N - \alpha_1(\alpha_2 - \bar{C}_1)}{C - \bar{C}_1} = -\alpha_1 \Rightarrow N - \alpha_1\alpha_2 = -\alpha_1 C$.
15. (c)



(e)



20. (b) $K = K_2 K_4 I_0^3$, $\alpha = K_3 K_4 I_0$.

(c) steady state: $\bar{q} = \bar{I}$, $\bar{I}^2(\bar{I} - 1) = \frac{1}{K}$, ($\Rightarrow \bar{I} > 1$).

$$J = \begin{bmatrix} -KI(\bar{I} - 1) & -Kq(2\bar{I} - 1) \\ \alpha & -\alpha \end{bmatrix}.$$

$Tr(J) < 0$ $Det(J) > 0$ for $\bar{I} > 1 \therefore$ stable.

21. (a) $\epsilon = 1/\Delta t$.


(b) $\frac{dC}{dt} = -\beta V + m$, $\frac{dV}{dt} = \alpha C - \epsilon V$.

steady state: $\bar{V} = m/\beta$, $\bar{C} = \frac{\epsilon m}{\alpha\beta}$ (stable).

(c) steady state: $\bar{V} = \frac{m}{\beta C}$, $\bar{C} = \left(\frac{\epsilon m}{\alpha\beta}\right)^{1/2}$ (stable).

Decaying oscillations if $\left[\epsilon + \frac{\delta}{\epsilon}\right]^2 < 8\delta$ for $\delta^2 = (\epsilon m \beta \alpha)$.

22. (e) $m = 2$, $2\alpha\beta < 1$.



CHAPTER 6

2. (a) $a_1 = -rKM, a_2 = r(K + M), a_3 = -r$.
 (c) $\frac{1}{N^{1/KM}} \frac{|N - M|^c}{|K - N|^\beta} = P e^n, P = \text{constant}$.
3. (b) Beverton-Holt solution: $N^\alpha e^N = P e^n, P = \text{constant}$.
 (steady state $N = 0$ is unstable).
4. (a) not stabilizing. (d) not stabilizing.
6. (d) $N = K$ is a stable steady state.
9. (b) $\frac{dx}{dt} = (a - \phi)x - bxy, \frac{dy}{dt} = -(c + \phi)y + dxy$;
 steady states: $(0, 0)$ and $\left(\frac{c + \phi}{d}, \frac{a - \phi}{d}\right)$.
14. Oscillations when $ac < (2dK)^2 \left(1 - \frac{c}{dK}\right)$.
17. (a) $(K_1 + \alpha N_2)$ is the carrying capacity of species 1. Thus the presence of species 2 contributes positively to the carrying capacity of species 1.
 (b) steady states: $(0, 0)$ (unstable node), $(K_1, 0)$, $(0, K_2)$ (saddle points).
 $\left(\frac{K_1 + \alpha K_2}{1 - \alpha\beta}, \frac{K_2 + \beta K_1}{1 - \alpha\beta}\right)$ (stable node).
 (c) (Last steady state exists only if $\alpha\beta < 1$).

18. $H_1 = (a_1), H_2 = \begin{bmatrix} a_1 & 1 \\ a_3 & a_2 \end{bmatrix}, H_3 = \begin{bmatrix} a_1 & 1 & 0 \\ a_3 & a_2 & a_1 \\ 0 & 0 & a_3 \end{bmatrix}$


$\det H_1 = a_1, \det H_2 = a_1 a_2 - a_3, \det H_3 = a_3 (\det H_2)$.

23. (1) (a) $\begin{bmatrix} 0 & - & 0 & 0 \\ + & 0 & 0 & 0 \\ 0 & + & 0 & - \\ 0 & 0 & - & - \end{bmatrix}$. (e) $\begin{bmatrix} 0 & + & 0 & 0 & 0 \\ - & 0 & 0 & 0 & 0 \\ 0 & + & 0 & 0 & 0 \\ 0 & 0 & + & 0 & + \\ 0 & 0 & 0 & - & 0 \end{bmatrix}$;

(2) (a) $\{1, 2\}$. (e) $\{1, 2\}, \{4, 5\}$.

(3) (a) not qualitatively stable; (e) not qualitatively stable.

24. (b)



predation community:


$\{1, 4, 2, 3\}$.

Not qualitatively stable.

29. For $\lambda > 0$, the only equilibrium of S, I equations is $(S, I) = (0, 0)$.
 But $J(0, 0) = \begin{bmatrix} -\lambda & 0 \\ 0 & -\gamma \end{bmatrix} \Rightarrow (0, 0)$ stable.
32. Steady states: $(K, 0)$ (saddle point), $(\bar{x}_2, b\bar{x}_2)$ where $\bar{x}_2 = r / \left(ab + \frac{r}{K}\right)$ (stable).

CHAPTER 7


2. (a) $x_1 = \frac{k_1 rc}{(k_1 + k_2) + k_1 c}$.
4. $K \ln c + c = -\lambda t + \text{constant}$.
6. $x_1(t) = (1 - e^{-(K+1)t}) / (K + 1)$, $x_1(t) \uparrow \frac{1}{(K + 1)}$ for $t \rightarrow \infty$.
7. (a) $K = r$, $a = (k_{-1}/k_1)$, $b = (k_{-1} + k_2)/k_1$.
 (b)



12. $\frac{da}{dt} = -K_1 ab + K_{-1} x$, $\frac{db}{dt} = -K_1 ab + K_{-1} x$.
 $\frac{dx}{dt} = -K_{-1} x + K_1 ab$. At equilibrium $\frac{da}{dt} = \frac{db}{dt} = \frac{dx}{dt} = 0 \Rightarrow x = \frac{K_1}{K_{-1}}(ab)$.
16. (b) $J = \begin{bmatrix} ds_1 & -b \\ -ds_2 & d \end{bmatrix}$.
 (c) $\text{Tr } J = bs_1 + d < 0$, $\det J = bd(s_1 - s_2) > 0$.
19. (b) $J = \begin{bmatrix} -(k + \delta^2) & \frac{-2\delta^2}{k + \delta^2} \\ (k + \delta^2) & \frac{\delta^2 - k}{\delta^2 + k} \end{bmatrix}$; sign pattern $\begin{bmatrix} - & - \\ + & + \end{bmatrix}$ if $k < \delta^2$.
20. (a) Let $k_1 = k_2 = k_3 = k_4 = 1$.
 (b) $\bar{x} = A$, $\bar{y} = B/A$.
 (c) $J = \begin{bmatrix} B - 1 & A^2 \\ -B & -A^2 \end{bmatrix}$.
21. (a) Steady state: $(\rho + \gamma, (\rho + \gamma)^2/\gamma)$.
23. (b) $k_{11} = -F_x$, $k_{21} = \alpha F_x$, $k_{12} = -F_y$, $k_{22} = \alpha(F_y - G_y)$.


CHAPTER 8

- 2. (b) $\left[\frac{\partial f}{\partial x} + \frac{\partial g}{\partial y} \right] = b > 0.$
- 4. (a–c) No limit cycle possible.
(d) Cannot rule out limit cycle.
- 6. (b)




Flow can escape to (or emanate from) arbitrarily large y values. Poincaré–Bendixson theory inconclusive.

- 7. (b) No limit cycle.
(c) limit cycle exists.
- 10. (a) Functions have no maxima or minima, only an inflection point.
- 13. (b) Figure b. (c) Cannot solve cubic equation.
- 17. (c) Condition guarantees $f = 0$ nullcline intersects x -axis to the right of the intersection of $g = 0$ with x -axis.
- 18. (a) $J = \begin{bmatrix} xf_x + f & xf_y \\ yg_x & yg_y + g \end{bmatrix}$. But $f = g = 0$ at the nontrivial steady state.
- 21. (a)



- (a) $\alpha(y - 1) > 1.$
- (b), (c) $0 < \alpha(y - 1) < 1.$


- (b) $g(x, y) = \beta(Kx - y)$
 (c, d)




- (h) periodic solution about an unstable steady state $(\gamma, K\gamma)$ will exist.
26. (a) Let $r^2 = x^2 + y^2$. $\frac{dr^2}{dt} = 2x\frac{dx}{dt} + 2y\frac{dy}{dt} = 2xy - 2xy = 0$
 so $r^2 = \text{Constant}$ is a solution (neutrally stable).
30. (b) $\frac{dr^2}{dt} = 2r^2[1 - r^2]$. $\frac{d\theta}{dt} = 1$.

CHAPTER 9

1. (a) Level curves are circles. Surface is a paraboloid




(b) Level curves are circles. Surface is a Gaussian, with maximum at $(0, 0)$.




2.	$\frac{\partial f}{\partial x}$	$\frac{\partial^2 f}{\partial x \partial y}$	∇f	3. critical points
(a)	$2x$	0	$(2x, 2y)$	minimum at $(0, 0)$.
(c)	$-xe^{-R^2/2}$	$yx e^{-R^2/2}$	$(-x, -y)e^{-R^2/2}$	maximum at $(0, 0)$, $R^2 = x^2 + y^2$.
(e)	y	1	(y, x)	$(0, 0)$ is a saddle point.

4. (c)



(d)



5. (b) $\nabla \times F = (-2, -2, -2)$, $\nabla \cdot F = 0$.
 (c) $\nabla \times F = (-2y, 1, -3)$, $\nabla \cdot F = 2x + 2y + 2z$.
6. (a) $\phi = \frac{1}{2}(x^2 + y^2) + C$.
 (d) Not a gradient field.
 (e) $\phi = e^{xy} + C$.
8. (b) $\frac{\partial c}{\partial t} = -\alpha c - \frac{a}{2A(x, t)} ([2 - \sin(x - vt)] + c[2 + v \sin(x - vt)])$.
12. (a) Hint: Let $A = r \Delta \theta \Delta h$ (where $\Delta \theta$, Δh are constant).
 (b) Let $A = R^2(\Delta \theta \Delta \phi)$.
14. (b) sphere: $\gamma = 36\pi$,
 cylinder: $\gamma = 8\pi \frac{h}{r}$.
16. (a) $C(0.4R) \approx 3 \times 10^{-3} \times (C_0/s) = .663 \mu\text{g/ml}$ (see Figure 9.7b).
17. (b) $\frac{\partial c}{\partial t} = \mathcal{D} \frac{\partial^2 c}{\partial x^2} - \frac{c}{\tau}$, $c(x, 0) = \begin{cases} c_0 & x < a \\ 0 & x \geq a \end{cases}$,
 $\frac{\partial c}{\partial x} = 0$ for $x = L$ where L is length of tube.
 $c(0, t) = c_0$.
19. (a) $c(r) \ln\left(\frac{L}{a}\right) = c_0 \ln\left(\frac{r}{a}\right)$.
22. (b) (i) $s_0 = 2s \Rightarrow \tau_0 = \frac{1}{4}\tau$.
 (ii) $a_0 = 2a \Rightarrow \tau_0 = \tau \ln\left(\frac{L}{2a}\right) / \ln\left(\frac{L}{a}\right) = \tau \left(1 - \frac{\ln 2}{\ln(L/a)}\right)$

CHAPTER 10

1. (a) For $v = \text{prey (victim)}$, $e = \text{predator (exploiter)}$
 $\frac{\partial v}{\partial t} = \mathcal{D}_v \frac{\partial^2 v}{\partial x^2} + F(v, e)$, $\frac{\partial e}{\partial t} = \mathcal{D}_e \frac{\partial^2 e}{\partial x^2} + G(v, e)$,
 with F, G any predator-prey kinetic terms.

2. (b) Two species competition with random motion of each of the species.
6. (b) $\mu \approx 0.2 \text{ cm}^2 \text{ h}^{-1}$.
7. (b) Use $F = kv\eta$.
(c) The mean time between turns is $\tau = \lambda/v$.
8. (a) $\frac{\partial b}{\partial x} = 0, s = s_0$ at $x = L$,
 $\frac{\partial b}{\partial x} = 0, \frac{\partial s}{\partial x} = 0$ at $x = 0$.
(e) $\frac{\partial v}{\partial \tau} = \lambda \frac{\partial^2 v}{\partial \xi^2} + [KF(u) - \theta]v$,
 $\frac{\partial u}{\partial \tau} = \frac{\partial^2 u}{\partial \xi^2} - F(u)v$.
[with boundary conditions $\frac{\partial v}{\partial \xi} = 0, u = 1$ at $\xi = 1$, and $\frac{\partial v}{\partial \xi} = 0, \frac{\partial u}{\partial \xi} = 0$ at $\xi = 0$].
11. (c) $\rho = \frac{\mu_b}{\mu_c}, \delta = \frac{\chi K_i}{\mu_c}, \alpha = \frac{g K_i}{k_d c_0}, \sigma = \frac{h_1 K_i}{k_d c_0}, \kappa = K_b/K_i$.
12. (b) $-\gamma\rho = \text{rate of branch mortality}$.
(e) dichotomous: $\sigma_{br} = \alpha n$;
lateral: $\sigma_{br} = \alpha\rho$.
14. (a) $k_1 = \text{rate of molecular binding to free sites}$,
 $k_2 = \text{rate of unbinding}$.
 $D = \text{effective diffusivity of free molecules}$.
 $v = \text{speed of buffer through column}$.
(c) $\bar{u}_2 = k_1 B \bar{u} / (k_1 \bar{u}_1 + k_2), \bar{u}_1 > 0$.
(d) Traveling Waves:
Require $U_1, U_2 \rightarrow 0, \frac{dU_1}{dz} \rightarrow 0$ for $z \rightarrow \infty$
waves satisfy $\frac{dU_1}{dz} = [(v - c)/D]U_1 - (c/D)U_2$,
 $\frac{dU_2}{dz} = -(k_1/c)(B - U_2)(U_1) + (k_2/c)U_2$.
24. (a) $\frac{\partial n}{\partial t} = -\frac{\partial n}{\partial \alpha} - \mu n$.
(c) $\frac{\partial n}{\partial t} = -\partial \frac{(kn\alpha)}{\partial \alpha} - \mu n, k \text{ a constant}$.
25. (e) $v = 1/\tau = .0694 \text{ hr}^{-1}, a = v \ln 2 = .048$,
 $\mu \approx 0.25 \text{ hr}^{-1}, dN/dt \approx -.2N$,
 $t_{10^{-3}} \approx 34.5 \text{ hr}$.
27. (b) Biomass of vegetation whose quality is within the range $(q, q + \Delta q)$ at time t .
(c) $\bar{Q} = Q/P$.
(d) $\frac{\partial p}{\partial t} = -\frac{\partial pf}{\partial q}$.
(e) $\frac{dh}{dt} = h r(\bar{Q}, h)$.
(g) Take $\frac{dQ}{dt} = \int q \frac{\partial p}{\partial t} dq = - \int q \frac{\partial fp}{\partial q} dq$.
Integrate *RHS* by parts.

CHAPTER 11

2. (a) No. (b) Yes. (c) Yes. (d) inconclusive. (e) No.

3. (b) $\left[\frac{l}{f}\right]$ = time to build up a significant local *c* AMP concentration,

$$\left[\frac{1}{k + D(\pi/L)^2}\right] = \text{time to efface a } c \text{ AMP perturbation by chemical decay and diffusion.}$$

7. (b) $J(1, 0) = \begin{bmatrix} pq^2 + \gamma - (1/K) & 0 \\ \alpha\sigma & -q^2 - \alpha \end{bmatrix}$

15. (a) No diffusive instability possible.

- (b) No diffusive instability possible.

- (f) Diffusive instability if $b_1 b_2 > de$, $b_2 > e$

$$D_2/D_1 > [(b_1/d)^{1/2} - (b_1/d - e/b_2)^{1/2}]^{-2}.$$

19. (b) Increasing γ tends to stretch domain in the *y* direction.

- (c) $E^2 = 32$, assumed fixed.

<i>m</i>	<i>n</i>	γ
4	4	1
5	3	1.28
4	5	1.56
4	6	2.25
5	4	2.28

20. (a) $C'_i = \alpha_i e^{\sigma t} \sin(q_1 x) \sin(q_2 y)$.

- (b) Same form of wavenumbers.

- (c) $C'_i = \alpha_i e^{\sigma t} \cos(q_1 x) \sin(q_2 y)$,

$$q_1 = m\pi/L, q_2 = n\pi/\gamma L.$$

21. (e) $\alpha = D'_A/D'_S$, $\beta = D_A/D_S$, $\gamma = L^2 D'_S/L_1 L_2 D_S$,

$$\rho = L_1 L_2 V_m K_m/D'_S.$$

22. (a) Nullclines: $Q = f(P)$, $P = g(Q)$.

- (b) $J = \begin{bmatrix} Pf'(P) & P \\ Q & -Qg'(Q) \end{bmatrix} = \begin{bmatrix} + & - \\ + & - \end{bmatrix}$ for *P* to the left of hump.

- (d) $Pf' - Qg' < 0$, $f'g' < 1$, and $(Pf'D_2 - Qg'D_1) > 2\sqrt{D_1 D_2} (PQ(1 - f'g'))^{1/2} > 0$.

Author Index

- Ackerman, E. L., 148, 162, 163
 Adam, G., 425
 Alberch, P., 542, 555
 Albisser, A. M., 163
 Aldridge, J. 306, 310
 Alexander the Great, 360
 Alt, W., 443, 491
 Anderson, R. M., 65, 67, 242, 243,
 247, 252, 254, 264, 269, 270
 Anton, H., 29, 38
 Archibald, R. C., 36
 Arimoto, S. 372
 Aris, R., 493
 Armstrong, R. A., 229, 268
 Arnold, V. I., 165, 209, 371, 375,
 376
 Aroesty, J., 147, 162, 217, 270, 464,
 469, 492
 Aronson, D. G., 491
 Aschoff, J., 362
 Awerbuch, T. E., 416, 417, 418, 422,
 425

 Baconnier, P., 373
 Bailey, V. A., 79, 80, 81, 111
 Balding, D., 445, 493
 Banks, H. T., 310
 Bard, J. B. L., 552, 554
 Barr, R. O., 494
 Batschelet, E., 160
 Beckingham, L., 63
 Beddington, J. R., 84, 86, 110, 265,
 270
 Bell, E. T., 36, 271, 383, 436
 Bellomo, J., 149, 158, 163, 206, 209
 Belousov, B. P., 352, 374

 Benchetrit, G., 373
 Berding, C., 525, 553
 Berg, H. C., 425
 Bergman, M., 441, 493
 Berman, M., 163
 Bernardelli, H., 28
 Berridge, M. J., 352, 372
 Bertsch, M., 444, 491
 Biles, C., 116, 162, 212, 215, 257,
 268
 Bird, R. B., 493
 Bischoff, K. B., 469, 488, 492
 Blackshear, P. J., 145, 162
 Blakeman, J., 436
 Blum, J. J., 460, 461, 462, 486, 493
 Boccia, G., 162, 270, 492
 Bolie, V. W., 148, 158, 163, 206,
 207, 209
 Bonner, J. T., 447, 491, 499, 501,
 507, 553, 554
 Botz, C. K., 163
 Boyce, W. E., 116, 162, 165, 209,
 424, 431, 432
 Boyer, P. D., 299, 309
 Bradley, G. L., 14, 37
 Brand, L., 37, 160
 Brauer, F., 258, 268
 Braun, M., 116, 162, 165, 209, 212,
 217, 224, 257, 258, 268
 Bray, W. C., 352, 374
 Brown, F. A., 374
 Brunetti, P., 163, 209
 Buchwald, H., 162
 Buff, Marjorie, 535
 Buller, A. R. M., 447
 Bunning, E., 362, 374

 Burnett, T., 110
 Burnside, B., 542, 555
 Burton, D. M., 38
 Busenberg, S. N., 252, 269, 444, 491
 Buss, L. W., 555

 Calabrese, G., 163, 209
 Campbell, J., 555
 Cannon, J. R., 425
 Capasso, V., 263, 269
 Carslaw, H. S., 416, 418, 425, 426,
 433
 Cauley, D. A., 495
 Chance, B., 352, 372, 374
 Charlesworth, B., 38
 Chet, I., 492
 Childress, S., 555
 Clarke, C. W., 270
 Clarke, W. L., 163
 Clemens, A. H., 163
 Cohen, D., 17, 37, 543, 555
 Coleman, C. S., 162, 223, 268, 352,
 373
 Compton, R., 63
 Conley, W., 270
 Conway, E. D., 553
 Conway, G. R., 68
 Cook, R. E., 555
 Cooke, J. R., 373
 Cooke, K. L., 252, 269
 Cowan, J. D., 540, 555
 Coxeter, H. S. M., 37
 Craig, A. T., 80, 111
 Crank, J., 416, 425, 435
 Crawley, M. J., 99, 111
 Crichton, M. 115, 152

- Crick, F. 271
 Cronin, J., 360, 371
 Crow, J. F., 99, 111
 Cullen, M. R., 36
 Czeisler, C. A., 374

 Dahlquist, F. W., 480, 492
 D'Ancona, U., 211, 258
 Darwin, Charles R., 210
 Davidovac, Z., 163
 Daxl, R., 494
 Dedrick, R. L., 492
 Degn, H., 352, 374
 Dekker, H., 267, 270
 Delbruck, M., 425
 De Mairan, Jean Jacques d'Ortous, 361
 Demongeot, J., 373
 Descartes, R., 436
 Devreotes, P. N., 507, 553
 Diekmann, O., 468, 495
 DiPrima, R. C., 116, 162, 165, 209, 424, 431, 432
 Distefano, J., 163
 Dixon, M., 299, 309
 Drew, D. A., 162

 Ebel, W., 554
 Eckert, R., 315, 372
 Edelstein, L., 293, 309, 445, 484, 494
 Edelstein-Keshet, L., 368, 373, 490, 495
 Edmunds, L. N., 374
 Ellner, S., 19, 37
 Ermentrout, G. B., 540, 555
 Esau, K., 289
 Escher, C., 374
 Euclid, 1
 Euler, Léonard, 28
 Ewart, T. G., 163
 Ewens, W. J., 99, 111

 Fairen, V., 335, 365, 372
 Fechner, A. T. H., 352
 Feinberg, M., 299, 309, 310
 Fennel, R. E., 38
 Fibonacci, 5, 32
 Fife, P. C., 439, 453, 492, 528, 554
 Fisher, E. S., 412, 425
 Fisher, R. A., 436, 440, 452, 491
 Fitzhugh, R., 313, 323, 325, 326, 337, 339, 372
 Frauenthal, J. C., 67
 Free, C. A., 110
 Freedman, H. I., 229, 270, 352, 373
 Fuller, C. A., 374

 Gage, S. H., 494
 Gander, R., 163
 Gard, T. C., 229
 Gardner, M., 37
 Gatewood, L. C., 148, 162, 163
 Gause, G. F., 120, 153, 162, 215, 224, 230, 266, 268
 Ghosh, A., 352, 374
 Gierer, A., 305, 528, 531, 548, 553
 Gies, F. C., 33
 Glass, L., 28, 37, 60, 66, 67
 Gofman, J. W., 492
 Goldbeter, A., 335, 365, 372, 373, 507, 554
 Golubitsky, M., 371
 Gompertz, Benjamin, 28
 Goodwin, B. C., 370, 372
 Gradwell, G. R., 74, 102, 104, 110, 111
 Graunt, John, 28
 Gray, B. F., 441, 456, 457, 459, 493
 Greenwell, R., 62, 68, 270
 Griffith, J. S., 207, 209, 308, 309
 Grodsky, G. M., 149, 159, 163
 Grossman, S. I., 37
 Guckenheimer, J., 67, 344, 371
 Gurney, W. S. C., 270
 Gurtin, M. E., 443, 468, 491, 494
 Gutierrez, A. P., 494
 Gyllenberg, M., 494

 Hadar, Y., 494
 Hagander, P., 149, 163
 Haggard, H. W., 250
 Haken, H., 553
 Haldane, J. B. S., 408, 425
 Hale, J. K., 209, 333, 371, 380
 Hallam, T. G., 229
 Halley, Edmund, 28
 Hara, T., 494
 Harbich, T., 553
 Hardt, S., 409, 410, 425
 Harris, A. K., 555
 Harrison, L. G., 553
 Hassell, M. P., 63, 68, 74, 76, 77, 82, 83, 102, 103, 104, 110, 111
 Hastings, A., 17, 37
 Hastings, J. W., 374
 Heijmans, H. J. A. M., 468, 495
 Henderson West, B., 125, 162
 Henis, Y., 491
 Hestbeck, J. B., 270
 Hethcote, H. W., 243, 247, 252, 254, 269

 Hilhorst, D., 491
 Himmelstein, K. J., 492
 Hodgkin, A. L., 313, 316, 317, 322, 372
 Hofbauer, J., 229, 270
 Hofstadter, D., 67
 Hogg, R. V., 89, 111
 Holling, C. S., 209, 223, 268
 Holmes, P., 344, 371
 Holt, S. J., 270
 Hoppensteadt, F. C., 37, 453, 468, 492
 Huntley, H. E., 37
 Hutchinson, G. E., 214, 270
 Huxley, A. F., 313, 316, 317, 322, 372
 Hyver, C., 374

 Ikeda, N., 61, 67
 Impagliazzo, J., 38
 Ivlev, V. S., 223, 268

 Jackson, J. B. C., 543, 555
 Jackson, J. L., 492, 510, 514, 516, 535, 536, 553
 Jaeger, J. C., 416, 418, 425, 426, 433
 Jager, W., 538, 554
 Jean, R. V., 37
 Jeffries, C., 236, 239, 241, 269
 Johnson, L. W., 14, 37
 Jones, D. D., 209
 Jones, D. S., 334, 373, 425, 429, 490, 493
 Jury, E. I., 58, 68

 Kadas, Z. M., 299, 310
 Kareiva, P. M., 439, 491
 Katz, 317, 322
 Kauffman, S. A., 525, 526, 527, 553
 Keener, J. P., 61, 67
 Keller, E. F., 442, 492, 497, 500, 503, 507, 554
 Keller, K. H., 493
 Kemmner, W., 537, 538, 554
 Kendall, M. G., 425, 440, 493
 Kennedy, C. R., 443, 482, 492, 545, 547, 555
 Kepler, J., 1, 5
 Kermack, W. O., 210, 243, 245, 246, 270
 Keyfitz, N., 28, 38
 Kharkar, A. N., 494
 Kierstead, H., 441, 491
 Kimura, M., 100, 111
 Kingsland, S. E., 79, 111, 270
 Kipnis, D. M., 163

- Kirwin, N. A., 441, 456, 457, 459, 493
 Kloeden, P. E., 67
 Kolmogorov, A., 222, 223, 268, 350, 351, 373, 440, 456, 491
 Krebs, C. J., 267, 270
 Kronauer, R. E., 374
 Kuffler, S. W., 316, 318, 319, 372

 LaBarbera, M., 408, 425
 Lacalli, T. C., 553
 Lamberson, R., 212, 215, 268
 Landahl, H. D., 149, 159, 163
 Laplace, P. S., 271, 497
 Lauder, I., 554
 Lauffenburger, D. A., 412, 425, 426, 441, 443, 480, 482, 490, 492, 493, 545, 547, 555
 Laws, R. M., 270
 Lawton, J. H., 110, 111
 Lecar, H., 336, 337, 366, 372
 Lee, K. Y., 494
 Lefever, R., 304, 310
 Lefschetz, S., 362, 371
 Lehninger, A. L., 309
 Leibel, B. S., 163
 Leonardo of Pisa, 5
 Leslie, P. H., 29, 38
 Levin, S. A., 17, 37, 269, 491, 539, 548, 554
 Levin, Simon, 229
 Levine, S. H., 64, 68
 Levins, R., 232, 236, 239, 262, 269, 270
 Lewis, E. G., 28
 Lewis, E. R., 58, 68
 Lewis, J., 283, 284, 285, 287, 309
 Leyton, L., 407
 Li, C. C., 99, 111
 Li, T. Y., 51, 67
 Liesegang, J., 352
 Lightfoot, E. N., 493
 Lin, C. C., 310
 Lincoln, T., 162, 270, 492
 Linnaeus, 361
 Lotka, A. J., 28, 210, 224, 268, 303, 352, 374
 Lovely, P. S., 480, 492
 Lucas, E., 32
 Ludwig, D., 208, 209, 439, 491
 Luenberger, D. G., 229, 270

 MacCamy, R. C., 443, 468, 491, 494
 MacWilliams, 507
 McCracken, M., 341, 344, 345, 373
 McElwain, D. L. S., 445, 493

 McGehee, R., 229, 268
 McKendrick, A. G., 210, 243, 245, 246, 270, 468, 492
 Mackey, M. C., 28, 37, 60, 66, 67
 Mahaffy, J. M., 310
 Malthus, T. R., 117, 152, 162, 210, 212, 268
 Marotta, F. R., 65, 68
 Marsden, J. E., 341, 344, 345, 373
 Martiel, J. L., 335, 372
 Martin, A. R., 316, 318, 319, 372
 Matthews, C., 163
 May, R. M., 28, 34, 37, 39, 40, 44, 46, 51, 53, 57, 62, 63, 65, 67, 68, 75, 110, 111, 212, 223, 229, 233, 236, 238, 240, 243, 247, 252, 254, 255, 261, 264, 265, 268, 269, 270, 368, 373
 Maynard Smith, J., 63, 68, 100, 111
 Mazotti, D., 163, 209
 Mees, A. I., 67
 Meinhardt, H., 305, 528, 529, 530, 531, 548, 553
 Merkle, T. C., 493
 Metz, J. A. J., 468, 495
 Miech, R. P., 310
 Milne, Joshua, 28
 Milton, J., 67
 Mimura, M., 536, 537, 552, 553
 Minorsky, N., 371
 Mollison, D., 440, 491
 Molnar, G. D., 162, 163
 Moore-Ede, M. C., 362, 374
 Morris, C., 336, 337, 366, 372
 Murray, J. D., 310, 334, 360, 365, 372, 373, 410, 425, 439, 453, 456, 492, 496, 525, 532, 534, 536, 537, 538, 542, 550, 552, 553, 554, 555
 Myers, J. H., 267, 270

 Nagumo, J., 313, 337, 372
 Newman, J. R., 28, 38, 250
 Newton, C. M., 147, 162, 217, 270, 464, 469, 492
 Newton, Isaac, 383
 Nicholls, J. G., 316, 318, 319, 372
 Nichols, J. D., 267, 270
 Nicholson, A. J., 77, 79, 80, 81, 111
 Nicolis, G., 352, 356, 374, 516, 555
 Nijhout, H. F., 555
 Nisbet, R. M., 270

 Odell, G. M., 165, 209, 341, 344, 352, 363, 372, 461, 485, 492, 493, 499, 507, 542, 554, 555
 Odum, E. P., 218, 268

 Offord, R., 309
 Okubo, A., 384, 405, 425, 439, 440, 443, 491, 492, 536, 553
 Oster, G. F., 39, 110, 494, 542, 555
 Othmer, H. G., 306, 310, 554

 Pacioli, Fra Luca, 1
 Palmer, J. D., 374
 Pate, E. F., 554
 Pearl, R., 210, 215, 268
 Pearson, K., 436
 Peletier, L. A., 491
 Pennycuik, C., 63
 Percus, J. K., 555
 Perelson, A., 67
 Petie, Haris, 72
 Petrovsky, I., 491
 Pfeffer, Wilhelm, 361
 Pham Dinh, T., 373
 Pielou, E. C., 223, 224, 233, 240, 258, 268
 Pilato, S. F., 374
 Piscounov, N., 491
 Pittendrigh, C. S., 362
 Plateau, F., 497
 Portnow, J., 352, 356, 374
 Price, F. N., 309
 Prigogine, I., 304, 310, 516, 555
 Prosl, F., 162
 Prosser, J. I., 27, 38
 Pye, K., 352, 372, 374

 Quirk, J., 236, 238, 240, 269

 Rand, R. H., 344, 373
 Randall, D., 315, 372
 Rapp, P. E., 301, 310, 341, 352, 372
 Reed, L. J., 210, 215, 268
 Reed, M. C., 460, 462, 493
 Reid, Clement, 479
 Reinberg, A., 362, 374
 Reiner, J. M., 299, 309
 Rescigno, A., 373
 Rhoades, D., 99, 111
 Richardson, I. W., 373
 Riess, R. D., 14, 37
 Rinzel, J., 490, 494
 Roberts, F. S., 241, 269
 Rogers, T. D., 67
 Rohde, T. D., 162
 Rorres, C., 29, 38
 Rosen, R., 294, 300, 309
 Rosenzweig, M. L., 223, 268
 Rosevear, J. W., 162, 163
 Ross, S. L., 209, 372
 Rothe, F., 528, 534, 554

- Roughgarden, J., 99, 111, 229, 269
 Rubinow, S. I., 116, 151, 161, 162, 163, 281, 300, 309, 461, 468, 486, 493, 494, 501, 507, 554
 Ruppert, R., 236, 238, 240, 269
- Sachsenmaier, W., 307, 310
 Saleem, M., 494
 Samson, R., 425
 Santiago, J. V., 163
 Sarti, E., 163, 209
 Sato, T., 67
 Savageau, M. A., 294, 300, 309
 Schaeffer, D. G., 371
 Schaller, H. C., 537, 555
 Schipper, H., 163
 Schleiden, 271
 Schnakenberg, J., 356, 357, 358, 374
 Schoener, T. W., 223, 269
 Schwann, 271
 Segel, L. A., 19, 38, 100, 111, 116, 121, 162, 310, 335, 365, 373, 396, 409, 425, 441, 442, 479, 491, 492, 494, 496, 497, 500, 503, 507, 510, 514, 516, 520, 535, 536, 539, 545, 548, 553, 554
 Segre, G., 148, 163
 Sel'kov, E. E., 357, 374
 Serio, G., 263, 269
 Shapiro, N., 162, 270, 492
 Sherbert, D. R., 37
 Shewmon, P. G., 425, 435
 Shymko, R. M., 553
 Sinko, J. W., 494
 Sinskey, A. J., 425
 Skellam, J. G., 436, 437, 439, 478, 479, 491
 Slack, J. M. W., 284, 309
 Sleeman, B. D., 334, 373, 425, 428, 429, 490, 493
 Slobodkin, L. B., 215, 268, 441, 491
 Smith, D., 28, 38
 Smith, F. E., 258, 268
 Smith, J. M., 111
 Smolensky, M. H., 362, 374
 Smoller, J., 528, 534, 554
 Soudack, A. C., 258, 268
 Southwood, R., 111
 Southwood, T. R. E., 68
 Spiegel, M. R., 37, 162
 Stech, H. W., 269
 Steck, T. L., 507, 553
 Steiner, A., 160
 Stewart, W. E., 493
 Stoeckly, B., 554
 Storti, D. W., 373
 Streifer, W., 494
 Strogatz, S., 362, 374
 Strong, B. R., 111
 Stuart, R. N., 492, 493
 Sulsky, D., 542, 555
 Sutzman, F. M., 374
 Swan, G. W., 147, 148, 162, 163
 Swindale, N. V., 540, 555
- Takahashi, F., 223, 269
 Takahashi, M., 437, 463, 493
 Takahashi, Y., 494
 Thompson, D'Arcy, 37, 509, 555
 Thompson, D. W., 497
 Thompson, R. W., 468, 494
 Thorell, J., 163
 Thornley, J. H. M., 295, 309
 Tolkien, J. R. R., 311
 Trabert, K., 553
 Tranberg, K. G., 163
 Travis, C. C., 444, 491
 Trinci, A. P. J., 27, 38
 Trucco, E., 468, 493
 Turco, G. L., 163
 Turner, J. E., 37
 Turing, A. M. (Alan), 436, 496, 497, 509, 516, 528
 Tyson, J., 307, 310, 352, 374, 554
- Upadhyaya, S. K., 373
 Usher, M. B., 63
 Van der Driessche, P., 269
 Van der Mark, J., 373
 Vandermeer, J., 38
 Van der Pol, B., 333, 373
 Vander Vaart, H. R., 212, 269
 Van Holde, K. E., 407
 Van Sickle, J., 494
 Varley, G. C., 74, 102, 104, 110, 111
 Velarde, M. G., 335, 365, 372
 Vercellone, G., 163
 Verhulst, P. F., 210, 212, 268
 Vincenzi, A., 163, 209
 Vogel, S., 408, 425
 Volkenshtein, M. V., 300, 309
 Volterra, V., 210, 224, 258, 269
 Von Foerster, J., 468, 493
- Waltman, P., 229
 Wang, Y., 494
 Ward, R. R., 374
 Watson, J., 271
 Webb, E. C., 299, 309
 Webb, G. F., 468, 494
 Weinberger, H. F., 491
 Weitzman, E. D., 374
 Wever, R. A., 362
 Whitaker, R. H., 229, 269
 Whitham, T. G., 38
 Widder, D. V., 425
 Winfree, A. T., 352, 362, 372, 374
 Wolfram, S., 542, 543, 555
 Wolpert, L., 284, 309
- Yorke, J. A., 51, 67
 Yoshizawa, S., 67, 372
 Young, D. A., 541, 555
 Yudkin, M., 309
- Zaranka, William, 72
 Zaharko, D. S., 492
 Zhabotinsky, A. M., 352, 374
 Zigmund, S. H., 443, 492
 Zinberg, D. S., 310
 Zingg, W., 163

Subject Index

- Acorns, dispersal of, 479
 Acrasin, 500
 Action potential, 314, 316–317, 339
 Activation
 chemical, 355–356
 range of, 517–518, 522
 Activator-inhibitor
 mechanism (Meinhardt), 305, 528
 system, 295–299, 303, 516–518
 Active pumps, 314
 transport, 316
 Adenosine diphosphate (ADP), 304
 Adenosine triphosphate (ATP), 304, 335
 Adenylate cyclase, 335, 365, 500
 Adhesiveness, 542
 ADP (adenosine diphosphate), 304
 Adult-onset diabetes, 147
 Advantageous allele, spread of, 452
Aedes aegypti (mosquito), 103
 Affinities, of cells, 540
 Agar, 456, 457
 Age
 classes, discrete, 28, 35
 distribution of cells, 463–468
 distribution of a population, 437, 468
 specific fecundity, 468
 structure, discrete, 28
 Aggregate
 slime mold, 500
 shape of, 507
 Aggregation, 498–507, 544
 of cellular slime molds, condition for, 505, 506–507
 domains, 507
 as instability, 506ff
 onset of, 503, 506, 542
 Algae
 filamentous, 26
 and nutrients, 262
 All-or-none behavior, 291
 Allee effect, 215–217, 535
 Allele, 99ff
 advantageous, 452
 frequencies, 99
 Allosteric
 effects, 299
 modification, 356
 regulation, 304
 Alpha- (α -) limit set, 191, 379
 Alveolus (alveoli), 412
 Amoeba (cellular slime molds), 499–502
 Amoeboid motility, 502
 Analog computer, 324
 Anastomosis, 447, 484–485, 544
 tip-branch, 484
 tip-tip, 484
 Angle in standard position, 23
 Animal coat patterns, 532–534, 550
 Annual plants, 8–11, 16–19, 33
 Antenna receptors of moths, 410
 Apical growth, branching networks, 445–447, 484–485, 544
 Apnea, infant, 60
 Arrhythmia, 61
 Arthropods, 72
 Asymptotic
 behavior, 191
 stability, 241
 ATP (adenosine triphosphate), 304, 335
 Attack rate, 223, 368
 Attraction, (motion due to), 384, 403, 442
 basins of, 293
 Attractive force, 403
 Autocatalytic reaction, 356
 Autonomous, 166
 Average age of first infection, 256
 Axiom of Parenthood, 214
 Axis of polarity, 287
 Axon, nerve, 314–317, 402, 461
 current in, 402
 hillock, 314, 315
 repetitive firing of, 341
 Axonal
 membrane, 317–319
 membrane, electric circuit analog, 318, 320
 transport, 437, 461–463
 Bacteria, 242
 dispersal of, 441–442, 480–482
 growth of, 116, 152
 Bacterial
 chemotaxis, 442, 482
 culture, 116, 121
 density, 116
 density, log, 116
 growth (chemostat), 121–123
 motility, 480
 motion, 480–482
 Balance equations, 384, 393–397
 for charge, 402
 in 1D, 395
 in 3D, 399

- Baldwin-McElwain equations, 445, 485
- Barnacle giant muscle fiber, 336
- Basins of attraction, 293
- Belousov-Zhabotinsky reaction, 352, 546
- Bendixson's negative criterion, 329–330, 360, 362, 363, 368
proof of, 380
- Beta-gamma (β - γ) parameter plane, 190
- Beverton-Holt model, 257
- Bifurcation
critical, 518, 525
diagrams, 51, 53, 342, 343
Hopf theorem, 313, 341–346, 359, 363
parameter, 341, 363
subcritical, 342–344
supercritical, 342–344
value, 43, 53, 341
- Bills of Mortality, 28, 250
- Bimolecular
reactions, 280
switch, 294–295
- Bioassay
diffusion, 416–418, 422
homogeneous, 418
mutation-inducing substances, 385
- Biochemical
control, 287
switch, 294–295, 303
system analysis, 300
- Biological
control (of pests), 72
rhythms, 360–362
- Biomass, 89
- Biot breathing, 60
- Birth defects, Rubella, 256
- Blood
CO₂, 27–28, 34, 66, 207
vessel growth, 445–447
- Blowfly (*Lucilia cuprina*), 76, 77
- Blum-Reed model, 462, 487
- Bolus injection, 151
- Bombay plague, 245, 247
- Boundary
conditions, 411, 414, 415, 426–427
conditions, homogeneous, 430
value problems, 432
- Bracon hebetor* (parasitoid wasp), 103
- Branching, 26–27, 437, 445–447, 483–485, 543–544
dichotomous, 26, 484
lateral, 26, 484
- Breathing
biot, 60
volume, 27
- Bristlelike patterns, 529
- Brusselator, 304, 357
- Bud scar, 488
- Ca²⁺ channels, 366
- Cambium, 287
- cAMP, 335, 500–502, 545, 548 (See also cyclic AMP)
secretion, 507
- Cancer chemotherapy, 145–147, 463, 469
- Capacitance, 320
- Capillary
density, 445
growth, 445–447, 485
-tip chemotaxis, 447
- Carbon dioxide (See CO₂)
- Carcinogen, 416
- Carriers, of disease, 253, 263
- Carrying capacity, 62, 76, 119, 215
- Cell
age distribution frequency, 465
conservation equation, 467
cycle, 463–465
division, 6
membrane receptors, 273
theory, 271
- Cells, 271
motility of, 457
yeast, 456–459
- Cellular
aggregation, 541
automata, 540
development, 283
maturation, 466
oscillators, 362
parameters, 488
polarity, 287
slime molds, 497, 498–502, 507
- Center manifold theorem, 344
- Chaos, 51, 54, 60, 67, 76–77
- Chaotic
behavior, 76–77
population dynamics, 77, 86
- Character displacement, 229
- Characteristic equation, 12, 15, 133, 157, 512
polynomial, 232
- Chemical
oscillations, 313, 352–359
patterns, 509
signal, 283
wave fronts, 485
- Chemoreceptors, 27
CO₂, 62, 66, 207
- Chemostat, 115, 121–125, 128–129, 143–145, 153, 193–197, 202, 489
dimensions, 122
model, dimensionless, 127ff
parameters, 122
phase plane, 193–197, 202
variants of, 154
washout, 198
- Chemotactic
coefficient, 442, 502
motion of macrophages, 424
motion of microorganisms, 441–443
- Chemotaxis, 387, 413, 477, 482, 502
bacterial, 442–443
capillary tip, 447
cellular slime molds, 502ff
of phagocytes, 545
PMNs, 443
- Chemotherapy
of cancer, 145–147
continuous, 157
cycle specific, 463, 464
of leukemia, 469, 488
- Cheyne-Stokes breathing, 60
- Chicken pox, 255
- Childhood diseases (See also specific diseases), 252
- Chromosomes, 99
- Ciliary beating, 441
- Circadian rhythm, 311, 360–362
- Circuit, electric, 319–321
- Circular domain, patterns on, 525
- Circulatory systems, 410
- Clocks, biological, 362
- Clonal
growth, 543
organisms, 534, 543
- Closed
chains, 240
curve trajectory, 312
-loop trajectory, 192
periodic orbit, 327
periodic trajectories, 359
systems, 352
- CO₂
chemoreceptor, 62, 66, 207
levels in blood, 27–28, 34, 66, 287
- Cobwebbing method, 49, 54, 61, 64
- Coevolution, 89, 254
- Coexistence, 228
- Collective motion, 437ff

- Colonies, microorganisms, 445, 456–459
- Colorado potato beetle, 77
- Combat term, 549
- Community, 211
 complex, 236–240
 matrix, 232
 structures, 261
- Compartmental
 analysis, 149–151
 subdivision, 527
- Competition, 224–231, 259–260, 290
 for common resources, 262
 intensity of, 229
 k species, 260
 molecular, 290–293
- Complementary
 solution, 31
- Complex
 community, 236–240
 eigenvalues, Hopf bifurcation, 341
 eigenvalues, linear difference equations, 15, 22–25
 eigenvalues, linear differential equations, 133, 136, 140–141, 156
 numbers, powers of, 23
 plane, 22
- Computer simulation
 of annual plants, 18
 direction fields, 177
 of host parasitoid systems, 84, 104
 of patterns, 528–529, 541–544
- Concentration of particles, 394
- Condition
 for aggregation of cellular slime molds, 505
 for diffusive instability, 514
 for stability, difference equations, 43, 57
 for stability, differential equations, 142
- Conductance, 320
- Conductivity, axonal membrane, 316–319
- Conformational changes, 282, 356
- Conjugate pairs, (*See also* complex numbers), 22
- Conservation, 470
 equations, 384, 393–397, 467
 equations in 1D, 395
 laws, 463–467
 of mass, 124
 of number, 124
 principles of, 384
 of receptors, 281
- Conservative systems, 311, 346, 352, 355
- Constant concentration at boundary, 426
- Continued fraction, 32
- Continuity of flow, 204
- Continuous
 chemotherapy, 157
 infusion, 145
 ventilation-volume model, 207
- Continuum assumption, 436
- Control of synthesis, 291
- Convection, 384, 403, 445
- Conventional units, 126
- Convergence, radius of, 68
- Convergent series, 68
- Cooling, Newton's law of, 406
- Cooperative reaction, 280–282
- Cooperativity parameter, 66
- Coprinus*, (fungus), 447
- Criteria for oscillations
 biological systems, 359
 chemical systems, 354
- Critical
 bifurcation, 518, 525
 parameters, 40
 points, 387, 393
- Cross catalysis, 356
- Cross products, 500
- Cubic nullclines, 330–336
- Culture, bacterial, 121
- Curl (vector), 400, 401
- Current, 320
 in axon, 321–322, 402
- Curve fitting problem, 266
- Curve in the plane, 172–175
- Cycle
 graphs, 192, 327
 specific chemotherapy, 463, 464
 specificity of drug, 488
- Cycles
 of infection, 65
 predator-prey, 218–221, 346–351
- Cyclic AMP (*See also* cAMP), 335, 500–502, 545, 548
 signaling system, 365
- Cytoplasmic streaming, 410
- Cyzenis albicans* (parasitoid fly), 77
- Daphnia magna*, 258
- Decaying population, 118
- Deceleration rate of growth, 257
- Deficiency of networks, 300
- Defoliation (herbivory), 90
- Degree of maturity, 465
- Degrees of freedom, 126
- Del
 operator, 389, 399, 400
- Delay equation, 60
- Delayed germination, 19
- Demography, 28, 38, 468
- Dendrites, 314, 315
- Density
 log bacterial, 116
 sink/source, 394
- Density dependence, 74–78, 83, 104, 223
- Density-dependent
 attack rate, 368
 dispersal, 443–444, 449, 481, 485
 growth, 351, 368
 intrinsic growth, 216
- Depolarization, axonal membrane, 317
- Derepression, 307
- Derivative, 165
- Destabilizing influence, 222
- Determinant, of 2×2 matrix, 15
- Development, 496ff
- Developmental
 pathway, 291
 process, 283, 302
 transitions, 293
- Diabetes mellitus, 145, 147
 adult-onset, 147
 juvenile-onset, 147
- Diagram, phase plane—chemostat, 202
- Dichotomous branching, 26, 484
- Dictyostelium discoideum*, 498–502, 547
- Difference equations, 6ff
 constant coefficients, 19
 first order, 40
 first order linear, 8
 graphical methods, 49–52
 linear, 7
 nonlinear, 39ff
 in physiology, 60
- Differentiation, 283
 (*See also* Morphogenesis)
- Diffusion, 384, 403, 404ff
 bioassay, 416–419, 422
 coefficient, 404, 406, 407
 as destabilizing influence, 512
 equations (*See* Diffusion equations)
 molecular, 441
 nutrient, 441
 operator, 414
 population, 437
 rate, geometry, 308
 and reaction, 510

- Diffusion, (*continued*)
 and reaction, finite domains, 520
 reaction in two dimensions, 548
 reaction systems, 547
 time, 407, 409
 transit time, 410–412, 423, 424, 425
- Diffusion equation, 384, 404, 405, 434, 441
 consequences, 406–410
 mathematical properties, 413–416
 one dimensional, 404, 405ff
- Diffusive instability, 498, 514, 516–519
 conditions for, 514
 onset of, 515, 519
- Digraph (directed graph), 237
- Dihydrophenylalanine (DOPA), 550
- Dilution effect, 151, 397
- Dimensional analysis, 115, 126–127, 153, 276
- Dimensionless
 parameters, 153
 quantities, 127
- Dimensions, terms, 122
- Dimers, 291–292
- Deoxyribonucleic acid (*See* DNA)
- Diphtheria, 255
- Diploid, 99
- Dirac, delta function, 427
- Directed graph (digraph), 237
- Direction field, 166, 175–177
- Directional
 derivative, 388
 information, 384
- Discontinuous initial distribution, 434
 life-cycle stage, 6
- Discriminant, 15, 134
- Disease (*See also* specific diseases)
 childhood, 252
 dynamical, 34, 61
 endemic, 252, 263
 eradication, 254
 fatality, 263
 infectious, 242–254
 intrinsic reproductive rate R_0 , 247, 254–255
 macroparasitic, 242
 microparasitic, 242–254
 thromboembolic, 145
 waves of, 65
- Disk-shaped domains, 527
- Dispersal
 of bacteria, 441
 density-dependent, 443, 457, 481, 485
 due to overcrowding, 444
 of oaks, 479
 of population, 436, 437
 random, 439
 rate, 440, 441
 seed, 17
- Dispersion, mean square, 437, 478
- Displacement, mean square, 517
- Distribution, 383, 427
 of pellet size, 473
 of plant quality, 489
 source, 53
 spatial, 387, 473
 steady state, 437
- Disturbance, random, 129
- Diurnal cycle, 311
- Div dot grad, 405
- Divergence, 399, 400, 401
- Divine proportion, 1
- DNA, 271
 synthesis, 463
- Domain
 disk-shaped, 527
 geometry of, 525
 size, 522, 525
- Dominant eigenvalue, 20
- DOPA (dihydrophenylalanine), 550
- Dormancy of seeds, 17, 19
- Dot
 product, 400
- Double-substrate reaction, 279
- Doubling time, 118, 144
- Drosophila melanogaster*, (fruitfly), 362, 525, 526
- Dulac's criterion, 329–330, 360, 363, 368
- Dynamical disease, 34, 61
- E. coli*, 115
- Ecology, patterns in, 535
- Ecosystems
 enriched, 65
 patchiness, of, 89
- Efficiency
 of parasitoids, 87
 of predation, 219
- Eggs, 78
- Eigenfunctions
 of diffusion operator, 414, 430, 504
- Eigenvalues, 13, 132–136, 141, 183–189, 414
 complex, 15, 22–25, 133, 136, 156, 341
- difference equations, 13–16, 22–25
 of diffusion operator, 414
 dominant, 20
 in Hopf bifurcation, 341–345
 ordinary differential equations, 132–136, 183–189
 pure imaginary, 220
 repeated, 20, 29, 133, 136
- Eigenvectors, 16, 134–135, 139–141, 183–184
 “fast,” 184
- Electric
 circuit, 319–321
 potential, 314
- Electrostatic field, 403
- Emptying time, 144
- Encarsia formosa*, (parasitoid), 83
- Encounters, 81, 215, 219
- Endemic disease, 252, 263
- Endogenous
 activators, 299
 rhythms, 362
- End-product inhibition, 301
- Enriched ecosystem, 65
- Enzymatic reaction, 274
- Enzyme kinetics, 300
- Enzymes, 272, 274, 356
- Epidemic
 cycles, 252
 models, 244–253, 444
- Epidemics, 20, 252
 effects of
 age structure, 252
 delay factor, 252
 migration, 252
 spatial distribution, 252, 444
 vaccination, 254–256
- Equations
 balance, 384, 393–397, 402
 Baldwin-McElwain, 445, 485
 characteristic, 12, 15, 133, 157, 232, 512
 conservation, 384, 393–399, 467
 delay, 60
 difference, 6ff, 39, 44, 55, 60
 diffusion, 384, 404, 405, 406, 413, 434, 441
 exact, 353–354, 369
 Fisher's, 452–456, 460, 486
 Fitzhugh-Nagumo, 337–341
 Gierer-Meinhardt, 305, 528–532
 heat, 405, 432
 higher order difference, 58–60
 higher-order, differential, 199
 Hodgkin-Huxley, 314, 322–327

- Keller-Segel, 442, 443, 481, 500–503
 Lienard, 332–333, 360, 365
 logistic, 39, 44, 45, 55, 119, 152, 214, 257, 259, 266
 Lotka-Volterra, 218–222, 224–229, 259
 Pearl-Verhulst, 45
 Ricker, 62, 257
 Segel-Jackson, 549
 Equiconcentration loci, 393
 Equilibrium, 40
 point, 176
 Equipopulation contours, 438, 439, 478
 Equitherms, 387
 Error function, 433, 434
 Estimating parameters, 266
 Eukaryotes, 99
 Euler's theorem, 23, 30
 Evidence for chemical morphogens, 537
 Exact equation, 353–354, 369
 Excitability, 327
 Excitable
 behavior, 313
 membrane, 314
 modes, 523–524
 systems, 311, 340–341
 Excitation, neural, 339–341
 Excitatory input, 317
 Exploiter/victims, 259, 352, 536, 549
 (See also predator/prey, host/parasitoid)
 Exponential
 function, 132
 growth, 117, 212
 peeling, 161
 Extended initial distribution, 428, 433
 Extinction, 228
 Extreme and mean ratio, 1

 Family of solution curves, 166
 Faraday's law, 320
 "Fast eigenvector," 184
 Fastest-growing perturbation, 547
 FDP (fructose-1,6-diphosphate), 304
 Fecundity, 7
 Feedback, 354, 356, 358
 interactions, 301
 positive, 240, 295–299, 303–305, 516
 Feedforward, 356
 Feinberg network method, 300
 FGP (fructose-6-phosphate), 304
 Fibonacci numbers, 5, 22, 36, 497
 Fick's law, 384, 404–406
 Finite initial distribution, 433
 Filamentous algae, 26
 Filaments, 447
 First-order
 difference equations, 40
 linear difference equations, 6–8
 ordinary differential equations (ODE), 165–171, 200
 ODE, nonhomogeneous, 203
 ODE, variation of parameters, 203
 Fisheries, 257
 Fisher's equation, 437, 452–456, 460, 486
 Fishing, 258, 265
 in Adriatic Sea, 211
 Fitzhugh-Nagumo equations, 337–341
 Fitzhugh's
 model, 337–341, 364
 reduced Hodgkin-Huxley system, 324–326, 364
 voltage convention, 324
 Fitness, 100, 101
 Fixed
 concentration boundaries, 415
 point, 41, 47
 Flatness
 index, 409, 422
 Flow
 of particles along a tube, 394
 in the plane, 191
 -trapping region, 329, 331, 350
 Flows in two and three dimensions, 397
 Flower
 clock, 361
 initiation, 295
 Fluctuations in species abundance, 211, 218, 346
 Flux, 394–395, 397–399, 403–404
 attraction, 403
 convection, 403, 420
 diffusion, 404
 magnitude of, 397
 of particles, 394
 Food chain, 239, 263
 Formation of patterns, 496, 509ff, 525
 Forms of organisms, 497
 Formulating a model, 122–125
 Fourier
 cosine series, 504
 series, 431
 sine series, 431
 theorem, 431, 504
 Fraction of survivors, 74
 Fractional mortality, 7
 Fruitfly (*Drosophila*), 362, 525
 Functions
 of one variable, 68
 of several variables, 385–387
 of two variables, 70
 Fungi, 26, 445–447

 Gap functions, 518
 Gastrulation, 542
 Gene
 activation signal, 283–287
 frequencies, 99–102
 General solution, 20
 Generalized function, 427
 Genes, spread of, 439, 452–456
 Genetic
 control, 292
 mutations, 416
 pool, 99
 Genetics, 99–102, 107–109
 Hardy-Weinberg, 99, 452
 Genotype, 99
 frequencies, 100ff
 Geometric reasoning, 295
 Geometry of domain, 525
 German measles (Rubella), 255, 256
 Germination, 9–10
 delayed, 19
 GGP (glucose-6-phosphate), 304
 Gierer-Meinhardt
 equations, 305, 528–532
 model, 549
 Global behavior, 191–193
 Glucose
 yeast cell model, 456–459, 486
 Glucose-insulin
 models, 147–149, 158–160, 206
 Glycolytic oscillator, 304, 357, 548
 Golden
 mean, 3–5, 22
 rectangle, 3–5
 Gompertz growth, 118, 157, 216–217, 258
 Gradient, 387–393, 400, 420
 field, 390, 391, 420
 Graphs, directed, 237, 238
 Graphical methods
 difference equations, 49–52
 differential equations, 165–171, 175ff
 Great plague, 250

- Greenhouse whitefly, 82, 83
 Green's theorem, 377, 378, 380
 Gierer-Meinhardt model, 528–532, 549
 Growth-dispersal model, 437–439
 Growth
 function, 212
 of microorganisms, 116–120
 rate of perturbations, 512
 of yeast cells, 456–459
- Habitat, common, 229
 Half-life, 118, 152
 Half-maximal response, (K_n), 125, 279
Haliotidae, 4–5
 Hallucination patterns, 540
 Hardy-Weinberg
 equilibrium, 102
 genetics, 99, 452
 Head
 activator, 537
 in hydra, 538
 inhibitor, 537
 regeneration (hydra), 538
 Heart beat, 60, 333
 Heat equation, 405, 432
 Helices
 in mollusks, 5
 in plants, 5
 Hematopoiesis, 61
 Hemoglobin, 282
 Herbicides, resistance to, 19
 Herbivore
 phytoplankton system, 548
 plant interactions, 73, 89–99, 105–107, 206, 368–369, 489–491
 recruitment, 92
 Herbivory, 89
 Herd immunity, 254
 Heteroclinic trajectory, 192–193, 454, 459, 460
 Heterogeneity, spatial, 383
 Heterozygous, 99
 Higher order difference equations, 58–60
 Higher-order differential equations, 199
 Hillock, axon, 314, 315
 Hodgkin-Huxley equations, 314, 322–327
 reduced phase plane, 325
 Hodgkin-Huxley model, 337, 364
 Homeostasis, 40
 Homoclinic
 trajectory, 192–193, 460
- Homogeneous
 bioassay, 418
 steady state, 502ff, 508
 Homozygous, 99
 Hopf bifurcation (theorem), 313, 341–346, 354, 357, 359, 360, 363
 Host, 78, 83, 239
 -parasitoid system, 73, 78–79, 103
 -parasitoid system, computer simulation, 84–87
 Hydra, 537, 538
 head regeneration, 538
 morphogenetic substances in, 538
- Imaginal disks, 525, 526
 Immunity, 253
 herd, 254
 loss of, 244, 246
 temporary, 243, 247, 249, 264
 Immunization, 254–256
 Impermeable boundaries, 415
 Implicit differentiation, 295, 297
 Index, 375–379
 of curve, 376, 377
 of singular point, 375, 378
 Induced defenses, in plants, 106, 489
 Inducer, 292
 -repressor complex, 307
 Infant apnea, 60
 Infection, 242ff
 average age of first, 256
 cycles of, 65
 discrete model, 65
 per capita force of, 256
 Infectious
 class, 264
 contact number, 249, 263
 diseases, 242ff
 Infective, 243
 class, 244, 249
 fraction, 249
 Infinite train of peaks, 460
 Inflammation, 482
 Infusion pump, 145–147
 Inhibition, 355, 356, 516, 517
 end product, 39
 range of, 518, 522, 525
 substrate, 306, 334, 532, 550
 Inhibitor, 296, 298
 Inhomogeneous perturbations, 502–504, 510–511
 Initial conditions, 13, 133, 155–156, 165, 427–429
 Injection, bolus, 151
 Inoculation, 116
- Insects, life cycle, 7
 Instability
 diffusive, 498, 512–515, 516
 Insulin
 and glucose, 147–149, 158–160, 206
 release, 149
 Integral mean value theorem, 396
 Integration, partial, 392
 Intensity
 of competition, 229
 of selection, 453
 Intracellular resistivity, 402
 Intraspecific
 competition, 215
 Intrinsic
 growth parameter, 119
 growth rate, 214
 Intrinsic reproductive rate R_0 for disease, 247, 254–255
 Invagination, 542
 Ionic
 flow, 314
 pores, 318–319, 322
- Jacobian, 56, 130, 155, 182
 Jeffries color test, 238, 241
 Jordan curve theorem, 327
 Junctions, gap, 518
 Jury test, 58–60
 Juvenile-onset, diabetes, 147
- $K+$ (See Potassium)
k-species, competition, 260
 Keller-Segel
 equations, 442, 443, 481, 500–503
 model, 509, 545
 Kinesins, 462
 Kinetic terms, 510
 Kinetics
 enzyme, 300
 glucose-insulin, 147–149
 nutrient-receptor, 273–277
 sigmoidal, 279–282
 Kirchhoff's law, 320
 Kolmogorov
 conditions, 351, 368, 369
 Kolmogorov's theorem, 351
 Krill and whales, 265
- Lactate dehydrogenase (LDH), 293
 Laplacian, 405
 Large chemical systems, 299
 Larvae, 78
 Lateral branching, 26, 484, 485

- Lateral inhibition, 518, 539
 discrete, 541
 local activation, 541
- Law of mass action, 80, 219, 274
- LDH (lactate dehydrogenase), 293
- Leaf arrangements, 528
- Lemmings, 267
- Leptinotarsa decemlineata* (potato beetle), 103
- Leptoterna dolobrata* (bug), 103
- Leslie matrices, 29, 36, 38
- Leukemia
 chemotherapy of, 469, 488
 chronic granulocytic, 60
- Leukocytes, polymorphonuclear, 443
- Level curves, 385–386, 388–390
 of potential function, 354
- Level surfaces, 386–387
- Liber abaci*, 33
- Lienard equation, 332–333, 360, 365
- Life-cycle stages, discrete, 6
- Life cycle, insects, 7
- Life table data, 76, 77
- Ligands, 277
- Limit cycles, 192–193, 222–223,
 311ff, 332–333, 339, 343ff, 362,
 377, 379
 dynamics, biological factors necessary for, 359
 in chemical systems, 352–359
 in epidemic models, 252
 in a host-parasitoid system, 86
 mathematical criteria for, 360
 oscillations, 223, 350, 351
 Poincaré-Bendixson, 328
 in polar coordinates, 370–371
 predator-prey models, 223, 346–351,
 367–368
 stability of, (Hopf), 341–346
- Limitations of diffusion, 408
- Limited resources, 215
- Line integral, 377, 378
- Linear
 algebra (review), 13–16
 operator, 414
 stability, 219, 498
 superposition, 13, 133, 156
 system, difference equations, 12–13
 system, (ODEs), 133–135, 183,
 184–190
- Linear difference equations, 3ff
 constant coefficient, homogeneous,
 19
 constant coefficient,
 nonhomogeneous, 31
- first-order, 8
 general solution, 20
 oscillations in, 25
 repeated roots, 20
 second-order, 12
 systems, 12–13
- Linear ordinary differential equations
 (See also ODEs), 130–137, 184–
 190
- Linear stability theory, 518
- Linearization, 129
- Linearized systems
 difference equations, 55–56
 differential equations, 129–130, 182
- Linearly independent, 156
- Lineweaver-Burk plot, 299
- Linkage of networks, 300
- Local
 degradation, 394
 maxima, 387, 393
 minima, 387
 saddle points, 387
- Locomotion, slime mold slug, 507
- Locus (gene), 99
- Log bacterial density, 116
- Logarithmic spirals, 5
- Logistic
 growth, 119, 212–214, 216
 prey, 220
- Logistic equations
 difference, 39, 54–55, 152
 differential, 45, 119, 212–214, 257–
 258, 266
- Long-range inhibition, 541
- Loss of immunity, 244
- Lotka's
 chemical reaction, 353–354, 369
- Lotka-Volterra
 cycles, 311
 equations, 218–222, 224–229, 259,
 548
 model, structurally unstable, 346
- Lucas numbers, 32
- Lucilia cuprina* (blowfly), 77
- Lynx-snowshoe hare, 218
- Macromolecules, 271
- Macroparasitic disease, 242
- Macrophages, 412
 motion of, 413, 424
- Magnitude of flux, 397
- Malaria, 242
- Malthus'
 law, 117, 214
 prediction, 117
- Manifolds, 377
- Mass
 balance, 124, 151
- Mass action
 law of, 80, 219, 274
- Matched asymptotic analysis, 278
- Mating table, 100
- Matrix
 community, 232
 determinant of 2×2 , 15
 discriminant of 2×2 , 15
 Leslie, 29, 36, 38
 multiplication, 14, 134
 qualitative, 239, 261
 trace of 2×2 , 15
- Matrices (Also see Matrix), rank of,
 300
- Maturation, 463
 speeds, 488
- Maximal concentration, 393
- Mean
 and extreme ratio, 3
 free path, 480
- Mean square
 dispersion, 437, 478
 displacement, 517
- Measles, 255
- Mechanical basis of morphogenesis,
 542
- Mechanochemical
 patterns, 542
 theories, 539
- Melanin, 532
- Melanoblasts, 550
- Melanocytes, 550
- Melanogenesis, 532–533, 552
- Membrane
 axonal, 317–319, 322
 bound receptor, 273
 cell, 273
 excitable, 314
 potential, 314, 337
 receptors, 273
- Messenger RNA, 207, 308
- mho, 316
- Michaelis-Menten
 dimensionless equations, 301
 kinetics, 125, 153, 272–278, 301
 phase plane analysis, 301
- Microorganisms
 chemotactic motion of, 441–443
 growth, 116–120
 spreading colonies, 445, 456–459
- Microparasitic diseases, 242
- Microstreams, 461

- Microtubules, 461
 Migration, 436
 Mitosis, 307, 311, 463, 468, 469
 Mixed culture, 230
 Model of tissue culture, 470–477
 Models
 Beverton-Holt, 257
 Blum-Reed, 487
 chemostat, 121–127, 128–129, 143–145, 153, 193–198
 continuous ventilation-volume, 207
 density-dependent, 74–78, 118, 214–215
 epidemic, 242ff
 Fitzhugh-Nagumo, 337–341
 Gierer-Meinhardt, 528–532, 549
 Hodgkin-Huxley, 322–327, 337, 364
 infection, 65
 Keller-Segel, 500–503, 509, 545
 Lotka's chemical, 353–354, 369
 Lotka-Volterra, 218–222, 224–229, 259, 346, 548
 Malthus, 117, 214
 molecular competition, 290–293
 Nicholson-Bailey, 73, 79–83, 103
 PDE, 436ff, 498ff
 predator-prey, 218–223, 259, 346–351, 368, 536, 552
 random walk, 384, 405
 Ricker, 62, 257
 Rubinow-Blum, 461–462, 487
 Segel-Goldbeter, 335, 365
 SIR, 243, 244, 253, 263
 SIRS, 244, 245, 247, 248, 253
 SIS, 244, 253
 species competition, 224–231
 Takahashi's, 464–467, 487
 three-compartment, 160
 tissue culture, 470–477
 two compartment, 149–151
 Modulation
 by synapse, 539
 Molecular
 biology, 271ff
 competition model, 290–293
 events, 271ff
 receptors, 273
 species competition, 287ff
 Moments, of distribution, 475
 Monomer, 291, 292
 Morphogenesis, 496–498, 509ff, 528–534
 mechanical basis of, 542
 Morphogenetic substances in hydra, 538
 Morphogens, 496, 497, 509ff
 Mortality, 215
 fractional, 7
 Mortality, Bills of, 28, 250
 Mosquito (*Aedes aegypti*), 102
 Moths, antenna receptors, 410
 Motion, 383, 436
 of macrophage, 412–413
 of particles, 384, 393ff
 random, 404–406, 412–413, 442
 saltatory, 461
 source/sink, 395
 Motility, 441
 of yeast cells, 457
 coefficient, 479
 Moving coordinate systems, 451
 Moving front, 455
 mRNA, protein interactions, 370
 Multiple
 steady states, 286
 time scales, 277
 Multiple-species communities, 231–235, 236ff
 Multivalent enzymes, 299
 Mumps, 255
 Muskrat population, spread of, 438–439
 Mutagen, 416
 bioassay, 416–418
 Mutagenicity, test for, 417
 Mutation, 100
 genetic, 416
 threshold concentration for, 422
 Mutualism, 261
 Mycelium, 472

n substrate complexes, 282
n-vector, 134
 Na⁺ (*See* Sodium)
 Necrotic center, 258
 Negative assortative mating, 108
 Negative criteria
 Bendixson's, 329–330
 Dulac's, 329–330
 Negative semiorbit, 379
 Nerve
 axon, 314–317, 402
 conduction, 314
 signal, 314
 Network, 447
 branching, 437, 445–447, 483–485, 543–544
 chemical, 299
 linkage of, 300
 neural, 539, 540
 Neural
 excitation, 313, 339–341
 network, 539, 540
 networks, visual hallucinations, 540
 Neurological disorders, 145
 Neuron (*See* axon), nerve, neural
 Neurophysiology, 314ff
 excitability in, 327
 oscillations in, 327
 Neutral
 center, 186–187, 220–221, 312
 stability, 220–221, 241
 Neutrally stable cycles, 311, 353–355
 Newton's law of cooling, 406
 Nicholson-Bailey model, 73, 79–83, 103
 Nodal lines on ellipse, 527
 Node, (critical point), 186
 No-flux boundary conditions, 415, 426
 Nonhomogeneous difference equations, 31
 Nonlinear difference equations, 39ff
 first order, 40ff
 higher-order systems, 58–60
 systems, 55–57
 Nonlinear effects, (in pattern formation), 520
 Nonuniform steady state, 447–448
 Normal vector, 398
 Nullclines, 178–181, 194–198, 202, 223, 225–227, 245, 249–250, 313, 330–338, 348
 cubic, (S-shaped), 330–338, 360
 Nutrient, 119, 121
 consumption, 119, 125
 depletion, 152
 diffusion, 441
 medium, 116, 457, 470
 -receptor complex, 273
 -receptor kinetics, 272–278
 transport, 273
 Nutrients
 algae and, 262
 distribution of, 392

 Oaks, dispersal of, 439, 479
 ODEs, 12, 45, 130–141, 165ff, 200ff
 constant coefficients, 131ff
 first-order, 131, 165–171, 200
 homogeneous, 131ff
 linear, 131–137, 166, 183, 184–186
 model, 115
 nonlinear, 164ff
 second order, 131
 systems, 133–135, 171–172, 183

- Offspring, parent conflict in seeds, 19
 Offspring table, 101
 Ohm's law, 320, 402, 423
 Omega (ω) limit set, 191, 379
 Oncology (*See* Cancer chemotherapy, Leukemia)
 One-dimensional
 balance equation, 395
 diffusion equation, 404, 405ff
 phase portrait, 169, 286
 transport equation, 403
 Onset
 of aggregation, 503, 506, 545
 of diffusive instability, 515, 519
 Open systems, 352, 359
 Operator, 307
 Operon, 307
 Optical density, 116
 Optimality of design, 301
 Orbit, (*See also* trajectory), 379
 periodic, (*See also* limit cycle), 327ff, 346
 Order
 difference equation, 8, 9, 19
 differential equation, 131
 Ordinary differential equations (*See* ODEs)
 Orientation, 287–288, 387, 390
 Oscillations, 136–137, 186, 187, 220, 221, 267, 311
 chemical, 299, 304, 313, 352–359
 in linear difference equations, 25
 in neurophysiology, 327
 in plant-herbivore system, 352, 368–369
 population, 211ff, 346–350
 population-based models, 346
 predator-prey, 218–223, 346–351
 relaxation, 333
 voltage, giant muscle fiber of barnacle, 336, 366
 Oscillators, cellular, 362
 Oviposit, 78

 Parameter plane, 76, 84, 190
 Parameters, 7, 40ff, 91, 120
 dimensionless, 91, 127
 reduction of, 45, 91, 127
 Parasitism, 78ff, 80
 Parasitoid, 239
 computer simulations, 84–87
 efficiency of, 87, 104
 Parasitoid fly (*Cyzenis albicans*), 77
 Parasitoid, host system, 73, 78ff, 103
 Parastichies, 4–5

 Parent-offspring conflict, in seeds, 19
 Parenthood, Axiom of, 214
 Parkinson's disease, 145
 Partial derivatives, 70–71, 387–389
 Partial differential equations (PDEs), 383ff, 436ff
 Partial integration, 392
 Particle
 creation, 394, 396
 degradation, 394, 396
 flow of, 394ff
 flux of, 394ff, 403ff
 motion of, 384, 394, 467, 474
 Particles in box, 399
 Particular solution, 31
 Patch-clamp experiment, 318
 Patchy
 distribution, 536
 ecosystems, 89
 environment, 229
 Patterns, 384ff, 498ff
 animal coat, 532, 534–535, 550
 bristlelike, 529
 chemical, 509
 in ecology, 535
 effects of boundary conditions on, 550
 effects of geometry on, 534, 549
 formation, 496, 509ff, 525
 hallucination, 540
 mechanochemical, 542
 on tails, 533, 535
 on vertebrate skin, 541
 PDE models, 436ff, 498ff
 PDEs, 383ff, 436ff, 498ff
 Peaks, infinite train of, 460
 Pearl-Verhulst equation, 45
 Pellet, 472
 size distribution, 473–477
 Per capita force of infection, 256
 Periodic
 boundary conditions, 426–427
 orbit (*See also* limit cycle) 327ff, 346
 Periodicity, externally imposed, 252
 Perturbations, 42, 130, 503–504, 507, 510ff
 excitable, 524
 Pests, 72
 Petri dish, 416
 PFK (phosphofructokinase), 304
 Phagocytes, 482
 chemotaxis of, 545
 Phagocytosis, 443, 498
 Phase, cell cycle (G_0 , G_1 , G_2 , S), 463

 Phase-plane
 difference equations, 85–87
 linear systems, 184–190
 methods, (ODE's), 164ff
 Phosphodiesterase, 500, 545
 Phyllotaxis, 5, 37, 497, 528
 Physical dimensions, 126
 Physiological cycles, 362
 Phytoplankton, 536
 -herbivore system, 548
 Plague
 Bombay, 245, 246
 great, 250
 Planar flow, 420
 Plankton, 441, 536
 Plant
 cell, 287–289
 defenses, 99, 106, 489
 -herbivore interaction, 73, 89–99, 105–107, 206, 368–369, 489–490
 quality, 107, 368–369, 489–490
 Plant-herbivore models, self-regulation, 95
 Plant-herbivore system, oscillations in, 352
 Plants
 annual, 8–11, 16–19, 33
 Poincaré-Bendixson theory, 313, 327–330, 354, 360, 379–380
 Point release, 438
 into infinite region, 433
 Poisson distribution, 80–81
 Polar coordinates, limit cycle in, 370–371
 Polarity (model for), 287–293
 Poliomyelitis, 255
 Polymorphonuclear (PMN)
 leukocytes, 443
 phagocytes, 481
 Polypeptide, 282
 Poplar gall aphid, 7
 Population
 biology, 210ff
 decaying, 118
 dispersal, diffusion, 437–441
 dynamics, 210ff
 dynamics, chaotic, 77
 dynamics of molecules, 272
 fluctuation, 313
 oscillations in, 211, 346ff
 Position vector, 172
 Positional information, 283
 Positive assortative mating, 108
 Positive feedback, 240, 295–299, 303–305, 516

- Positive semiorbit, 379
 Positively cooperative reactions, 282, 302
 Potassium (K⁺), 314, 316ff
 channels, 317–318, 366
 Potato beetle *Leptinotarsa de-cemlineata*, 103
 Potential
 electric, 314
 membrane, 314ff, 337
 Power
 of complex numbers, 23
 series, 68
 Precursors, 356
 Predation, 218ff
 community, 241, 261
 efficiency of, 219
 link, 241
 Predator-prey, 210, 218–223, 346–351, 536
 limit cycles in systems, 346–351, 367–368
 oscillation, 351
 spatially distributed systems, 477, 549, 552
 stable oscillations, 222, 346–351
 Predators, 239
 Prepattern, chemical, 509ff
 Prespore-prestalk, 547
 commitment, 499
 ratio, 507
 Presynaptic terminal, 315
 Prey, logistic, 220
 Principle(s)
 competitive exclusion, 224, 229
 conservation, 124, 384, 393ff
 linear superposition, 13, 133, 156, 414
 Product inhibition, 299
 Proof of Bendixson's criterion, 380
 Propagated action potentials, 402, 422–423, 487
 Propagating
 waves, 451, 453ff
 Propagation
 speed of, 439–441, 455, 460
 Protein-*m*RNA interactions, 370
Pseudomonas fluorescens, 441
 Pseudopodial extension, 441
 Pseudowaves, 460, 463
Pterula gracilis, 446–447
 Pump(s)
 active, 314
 infusion, 145–147
 Pupae, 78
 Qualitative
 matrix, 239, 261
 solutions, 165ff
 stable system, 237, 238, 261
 stability, 211, 236–241
 Quality
 of plants, 107, 368–369, 489–491
 Quasi-steady-state assumption, 275–279, 281, 300, 301–302
 Quirk-Ruppert conditions, 238
 Rabbit problem, 32
 Radially symmetric
 diffusion equation, 406, 416, 418
 region in plane, 421
 Radiolabeled tracers, 149–151
 Radius of convergence, 68
 Random
 dispersal, 439
 disturbance, 129
 mating, 99, 100
 motion, 404–406, 412–413, 442
 walk and the diffusion equation, 405, 478
 -walk models, 384
 Range of inhibition, 517–518, 522, 525
 Range of activation, 517–518, 522
 Rank of matrices, 300
 Rate
 of encounter, 78, 245
 of propagation, 438
 of transmission of disease, 243
 Ratio test, 68
 Ray cells, 287–289
 RBCs (*See* Red blood cells)
 Reacting and diffusing chemicals, 496–498, 509ff
 Reaction
 Belousov-Zhabotinsky, 352, 548
 diagram, 274
 velocity, 300
 Reaction diffusion, 496–498, 509ff, 547–548
 finite domains, 520–527
 in two dimensions, 548
 Real-valued solution, 24, 136, 156
 Receptor
 membrane, 273
 nutrient complex, 273
 nutrient kinetics, 272–277
 occupancy, 278, 281
 Recovery, 244
 variable, 337
 Recursion relation, 5
 Red blood cells, 27, 33
 Reduction of parameters, 45, 91, 127
 Refuge, 87–89, 105, 258
 Relaxation oscillations, 333
 Release in finite region, 428
 Removed class, 244ff
 Repeated eigenvalues, 20, 29, 133, 136
 Repetitive firing of axon, 341
 Repetitive impulses, 337
 Repressor, 292
 Reproductive factor R_0 of infection, 247, 254–255
 Repulsion, 403
 Rescaling (equations), 91, 127
 Resistance, (electrical), 320
 to herbicides, 19
 Resistivity, intracellular, 402
 Respiration in bacterial culture, 335
 Resting state, 316, 324–325, 340
 Retina, 540
 Retinocortical map, 540
 Reversible reaction, 274ff
 Rhythms
 circadian, 360
 endogenous, 362
 Ribosomes, 308
 Ricker equation, 62, 257
 Rodent population cycles, 267
 Rotation, 401
 Routh-Hurwitz criteria, 211, 231–235
 Rubella (German measles), 255, 256
 Rubinow-Blum model, 461–462, 487
Saccharomyces cerevisiae, 230, 266
 Saddle point, 180, 185–186, 190
 local, 387
Salmonella typhimurium, 418
 Saltatory motion, 461
 Saturation, in nutrient consumption, 125, 273ff
 in chemical kinetics, 273
 Scalar multiplication, 400
 Scale of measurement, 126
 Scarlet fever, 255
 Schistosomiasis, 242
Schizosaccharomyces kephir, 120, 153, 266, 230
 Schnakenberg
 chemical system, 357–359, 548
 Searching efficiency (parasitoids), 104
 Seasonality, 252
 Second-order, linear difference equations, 12

- Secondary host, 242
 Seed, 8
 bank, 10
 coat, 19
 dispersal, 17
 dormancy of, 17
 parent-offspring conflict in, 19
 Segel-Goldbeter model, 335, 365
 Segel-Jackson equations, 549
 Segmental growth, 33
 Segmental organisms, 26
 Segregated populations, 444, 450
 Self-organizing system, 539
 Self-regulation, 220, 240
 in plant-herbivore models, 95
 Separation
 column, 485–486
 of variables, 384, 415, 429–430
 Separatrix, 291–292, 339
 Sigmoidal kinetics, 66, 279–282, 285, 302, 530
 Sign patterns, 237–239, 262, 296
 Signal
 for development, 283–287
 nerve, 314ff
 Simple, closed, oriented curve, 312, 375
 Single-point release, 427, 438
 Single-species population, 74–78, 116–120, 211, 212–218
 Singular point, 176
 Sink/source density, 394
 SIR model, 243, 244, 253, 263
 SIRS, 252
 model, 244, 245, 247, 248, 253
 SIS, 252
 model, 244, 253
 Size
 distribution, 473
 of domain, 525
 Sleep-wake cycles, 362
 Slime molds
 cellular, 497, 498–502, 505, 507
 slug, 499, 507
 Slope (derivatives), 165, 388
 Slug, cellular slime mold
 locomotion, 507
 Smallpox, 255
 Snowshoe hare, lynx, 218
 Sodium, 316
 channels, 317–318, 319
 ions, 314
 Solid tumor, 157, 216–217, 258
 Solution curves, 165ff, 175, 177, 187, 200
 Soma, 314, 315
 Source distribution, 531
 Spatial distribution, 387ff, 437ff
 Spatial variation, 88, 385
 Species competition, 159, 210, 224–231, 259–260, 548
 parameters, 266
 Species interactions, 210ff, 237–241
 Spherically symmetric diffusion equation, 406, 421–422
 Spiral growth, 5, 497
 Spontaneous generation, 214
 Sporangiophore, 499, 500
 Spores, amoeba, 500
 Spots, 533
 Spread of muskrat population, 438–439
 Spreading colonies of microorganisms, 456–459
 Sprouting, 445
 Spruce budworm, 208, 439, 477
 S-shaped nullclines, 330–338, 360
 Stability, 40, 129
 in systems of ODEs, 141
 Stability condition,
 differential equations, 142
 first-order difference equations, 43
 second-order difference equations, 57
 two-point cycles, 47
 Stabilizing factors, 77, 86, 222
 Stable
 age distribution, 36
 coexistence, 290
 cycles, predator-prey system, 222–223, 346–351, 367–368
 limit cycle, 76, 342ff
 node, 185–186, 190
 oscillations, logistic difference equation, 46
 spiral, 190, 221
 steady state, 43, 55ff, 141–142
 State variable, 128
 Steady state, 40, 128, 176, 447
 distribution, 437
 homogeneous, 502, 508
 multiple, 299
 nonuniform, 444
 solution, 41
 spatially uniform, 448
 stable, 43, 55ff, 141–142
 Steepness of local variations, 389
 Stimulated neuron, 340
 Stimulating electrode, 317
 Stomata, 529
 Stripes, 530, 533
 Structural
 instability, 186, 311, 353
 molecules, 287
 stability, 359
 Subcritical bifurcation, 342, 344
 Substrate-inhibited reaction, 306, 334, 532, 550
 Substrates, 272
 Succession
 of excitable modes, 522–524, 533
 Supercritical bifurcation, 342–344
 Superposition principle, 13, 133, 156, 414
 Surface, 385
 Survivorship, 7
 Susceptible, 243ff
 Switch, 282
 bimolecular, 294–295
 cellular, 285ff
 Synapses, 314–315, 402
 Synthesis, 292, 307
 control, 291
 Systems analysis, biochemical, 300
 Systems of equations
 linear difference, 12–13
 linear differential 133–137, 184ff
 nonlinear difference, 55–57
 nonlinear differential, 142, 171ff, 182
 Tail pattern, 533–535
 Takahashi's model, 464–467
 Tangent vectors, 175
 Taxis, 442
 Taylor series, 30, 42, 56, 68–71, 130
 functions of one variable, 68–69
 functions of two variables, 70–71
 Temporary immunity, 243, 247, 264
 Test for mutagenicity, 417
 Tetrodotoxin, 318, 319
 Theorems
 center manifold, 344
 Fourier, 431, 504
 Green's, 377, 378, 380
 Hopf bifurcation, 313, 341–346, 354, 357, 359, 360, 363
 Jordan curve, 327
 Kolmogorov's, 351
 Theories
 cell, 271
 Poincaré-Bendixson, 313, 327–330, 354, 360, 379–380
 topological index, 360, 375ff
 Thermodynamic equilibrium, 356
 Three-compartment model, 160

- Three-dimensional conservation equation, 399
 Threshold, 286, 313
 concentration for mutation, 422
 population for disease, 211, 247
 voltage, 316
 Thromboembolic disease, 145
 Time scales, 277–278
 Tip-branch anastomosis, 484
 Tip-tip anastomosis, 484
 Tissue
 culture, 470–477, 489
 Topological index theory, 360, 375ff
 Topological properties of curves, 375ff
 Total differential of scalar function, 353
 Trace, of 2×2 matrix, 15
 Tracheids, 287, 289
 Trajectory, 169, 173
 closed periodic, 192, 312, 327
 heteroclinic, 192–193, 454, 459, 460
 homoclinic, 192, 193, 460
 Transient solutions, (diffusion equation), 430
 Transit time
 diffusion, 409, 410–412, 423–424
 and dimensionality, 409
 Transition
 probability, 464, 487
 rule, 542, 543
 Transmission, (disease), 244ff
 Transport
 active, 316
 axonal, 437, 461–463
 by diffusion, 407
 nutrient, 273ff
 Traveling waves, 317, 437, 447, 450–460
 spread of genes, 452–455
Trialeurodes vaporariorum (greenhouse whitefly), 82, 83
 Trimolecular reactions, 280, 304, 357
 Tubular flow, 395
 Tumbles, 480
 Tumor, 146
 angiogenesis factor (TAF), 445
 growth, 216–217
 solid, 157, 216–217, 258
 Tuning a parameter, 55
 Two-compartment model, 149–151
 Two-dimensional manifold, 344
 Two-point cycles, 46–48, 62
 Tyrosinase, 550
 Uncontrolled growth, 115
 Uniform steady state, 448
 Unit normal vector, 397
 Units
 conventional, 126
 of measurement, 126
 Unstable node, 185–186, 190
 Unstable spiral, 187, 190
 Vaccination, 211, 254–256
 Van der Pol oscillator, 313, 333ff, 337, 360, 365, 548
 Variants of the chemostat, 154
 Vectors, 172, 400
 curl, 400, 401
 dot products, 390, 397, 400
 field, 177, 375, 376, 391, 401
 gradient, 389ff
 operations, 400
 position, 172
 tangent, 175
 unit normal, 397–398
 velocity, 173
 Vegetation, 90
 quality of, (*See* plant quality)
 Velocity, reaction, 300
 Velocity vector, 173
 Ventilation volume, 27–28, 34, 66, 207
 Venules, 482
 Vertebrate skin patterns, 541
 Vesicles, 461
 Victims/exploiters, 259, 352, 536, 549
 Viruses, 242
 Visual cortex, 530, 540
 Visual hallucination patterns, 540
 Vital dynamics, 243, 247, 249, 263
 Voles, 267
 Voltage, 320
 clamp experiment, 318, 321
 Fitzhugh's convention, 324
 oscillation, 336
 oscillation, giant muscle fiber of barnacle, 366
 threshold, 316
 Volumetric receptor concentration, 274
 Wake, sleep cycles, 362
 Wave fronts, chemical, 485
 Wave speed, 439–441, 455, 460
 Wavenumber, 504ff
 permissible perturbations, 508
 Waves
 traveling, 317, 437, 447, 449ff
 Waves of disease, 65
 WBCs (*See* White blood cells)
 Well-posed problem, 414
 Whales, krill, 265
 White blood cells, 60
 Whooping cough, 255
 Wing disc, 526
 Worms, 242
 Xylem, 287, 289
 Yeast
 cell-glucose model, 456–459
 Yield, 119, 122, 442
 Zebras, 530
Zeiraphera diniana (moth), 77, 103
 Zones of toxicity, 416
 Zooplankton, 536