

**NAME: (print!)** \_\_\_\_\_

**E-Mail address:** \_\_\_\_\_

MATH 336 (1), Dr. Z. , Exam 2, Wed., Nov. 26, 2025, 12:10-1:30pm, BECK 003

**FRAME YOUR FINAL ANSWER(S) TO EACH PROBLEM**

**No Calculators! No books! No Notes!** To ensure maximum credit, organize your work neatly and be sure to show all your work.

Do not write below this line

\_\_\_\_\_

1. (out of 10)

2. (out of 10)

3. (out of 10)

4. (out of 10)

5. (out of 10)

6. (out of 10)

7. (out of 10)

8. (out of 10)

9. (out of 20)

\_\_\_\_\_

tot.: (out of 100)

This page left blank

1. (10 points) Solve explicitly the recurrence equation

$$x_n = x_{n-1} + 6x_{n-2} \quad ,$$

with initial conditions

$$x_0 = 2, x_1 = 1 \quad .$$

2. (10 points) In a certain species of animals, only one-year-old, two-year-old are fertile. The probabilities of a one-year-old, two-year-old, female to give birth to a new female are  $p_1, p_2$ , respectively.

Assuming that there were  $c_0$  females born at  $n = 0$ ,  $c_1$  females born at  $n = 1$  Set up a recurrence that will enable you to find the **expected** number of females born at time  $n$ . In terms of  $c_0, c_1, p_1, p_2$ , how many females were born at  $n = 4$ ?

3. (10 points) Prove that  $a_1(n) = 2^{3^n}$  satisfies the non-linear recurrence equation

$$a(n) = a(n-1)^3 \quad .$$

Is the following constant multiple of the sequence  $a_1(n)$ , given by  $a_2(n) = 2 \cdot 2^{3^n}$ , also a solution? Why?

4. (10 points) Solve the following recurrence subject to the initial conditions.

$$a(n) = 3a(n-1) - 2a(n-2) + n \quad ; \quad a(0) = 2 \quad , \quad a(1) = 3 \quad .$$

**5.** (10 points) (a) Find all the steady-states of the non-linear recurrence

$$x(n) = kx(n-1)(1-x(n-1)) \quad ,$$

where  $k$  is a positive number between 0 and 4. Express your answer in terms of  $k$  (if needed).

(b) For which values of  $k$  is  $x = 0$  the only stable steady-state? For which values of  $k$  is the other steady-state stable? For which values of  $k$  neither of them are?

**6.** (10 points) Show that  $x = 4$  is a steady-state of the discrete dynamical system, for any real number  $k$ ,

$$x(n) = x(n-1) - \frac{(1-x(n-1))(4-x(n-1))}{k} \quad ,$$

For what values of the parameter,  $k$ , is  $x = 4$  a stable steady-state?

7. (10 points) You enter a fair casino (where the prob. of winning a dollar is  $\frac{1}{2}$  and the prob. of losing a dollar is  $\frac{1}{2}$ ), and you must exit if you are broke or you have 200 dollars. If right now you have 150 dollars, how likely are you to exit a winner? How long would you expect to be in the casino until you leave either a winner or loser?

8. (10 points) Find the equilibrium point(s) of the continuous dynamical system

$$x'(t) = 2x(t) - 3y(t) \quad , \quad y'(t) = 3x(t) - 2y(t) \quad .$$

Is it stable, semi-stable, or not stable? Explain!

**9.** (20 points) (a) (10 points) Find all the steady-states of the discrete dynamical system

$$a_1(n+1) = \frac{a_1(n)}{2 - a_2(n)}$$

$$a_2(n+1) = \frac{a_2(n)}{2 - a_1(n)}$$

**b** (10 points) For these steady-states, which of them are stable? unstable? semi-stable? Explain.